## 2017

## STATISTICS

[Honours]

(Theory)

PAPER - IV

Full Marks: 45

Time: 2 hours

The figures in the right hand margin indicate marks

Candidates are required to give their answers in their

own words as far as practicable

Illustrate the answers wherever necessary

## [NEW SYLLABUS]

GROUP - A

[Marks: 20]

1. Answer any one question:

 $10 \times 1$ 

(a) (i) Describe 'if' statement with example used in C.

(Tion Over)

- (ii) Write a program in C to find the mean and standard deviation of a set of n real numbers.
- (b) (i) Describe RAM and ROM.
  - (ii) Find the sum of the binary numbers 10100010 and 11001101.
  - (iii) Compare 'do-while' and 'while' loops with flowchart. 3+3+4
- 2. Answer any two questions:

5 × 2

- (a) Explain the process to draw a bar diagram using MS-Excel.
- (b) Explain the steps to find the correlation coefficient of a bi-variate sample using statistical.
- (c) Convert the decimal number 63585 into binary and hexadecimal numbers.

GROUP - B

[Marks: 25]

3. Answer any three questions:

5 × 3

- (a) What is crude birth rate? To compare fertility levels of two countries how can you modify this measure?
- (b) For a life-table show that the following relation holds approximately:

$$q_x = \frac{2m_x}{2+m_x},$$

where the symbols bear the usual meanings.

- (c) Distinguish between a stable population and a stationary population.
- (d) Why is age-specific fertility rate (ASFR) a better measure of fertility than general fertility rate (GER)?
- (e) Explain the concept of standardised death rate and discuss its necessity.
- 4. Answer any one question:

 $10 \times 1$ 

(a) (i) Define gross reproduction rate (GRR) and net reproduction rate (NRR). Show

that NRR  $\leq$  GRR. Also explain the case of equality.

- (ii) Derive, under suitable set of assumptions, the equation of the logistic curve. 6+4
- (b) (i) What is the purpose of construction of a life-table? Explain the significance of the columns contains  $l_x$ ,  $d_x$ ,  $q_x$  and  $L_x$ .
  - (ii) Explain the GP method for population projection. 6+4