

11. BIBLIOGRAPHY

1. Abbott, T. P., Vaughn, S. F., Dowd, P. F., Mojtahedi, H., & Wilson, R. F. (1998). Potential uses of sicklepod (*Cassia obtusifolia*). *Industrial Crops and Products*, 8(1), 77-82.
2. Abdo, B. M. (2017). Sennosides Determination of Ethiopian *Senna alexandrina* Mill Accessions. *Natural Products Chemistry and Research*, 5(7), 293. doi: 10.4172/2329-6836.1000293.
3. Acharya L., Mukherjee, A. K., & Panda, P. C. (2011). Separation of the genera in the subtribe Cassiinae (Leguminosae: Caesalpinioideae) using molecular markers. *Acta Botanica Brasilica*, 25(1), 223-233.
4. Ajayi, C. O., Funso-Babarimisa, F., & Elujoba, A. A. (2014). Laxative activities of *Cassia sieberiana* and *Senna obtusifolia*. *African Journal of Traditional, Complementary and Alternative Medicines*, 11(4), 44-47.
5. Alam, M. S., Chopra, N., Ali, M., & Niwa, M. (1996). Oleanen and stigmasterol derivatives from *Ambroma Augusta*. *Phytochemistry*, 41(4), 1197-1200.
6. Bhat, K. V., Lakhapaul, S., & Chadha, S. (2005). Amplified fragment length polymorphism (AFLP) analysis of genetic diversity in Indian mungbean (*Vigna radiata* (L.) Wilczek) cultivars. *Indian Journal of Biotechnology*, 4, 56-64.
7. Andrade-Cetto, A., & Heinrich, M. (2005). Mexican plants with hypoglycaemic effect used in the treatment of diabetes. *Journal of Ethnopharmacology*, 99(3), 325-348.

8. Anning, P., Bishop, H. G., Lambert, G., & Sutherland, B. (1989). Sicklepod replaces overgrazed tropical pastures. *Queensland Agricultural Journal*, 115, 188-192.
9. Archak, S., Gaikwad, A. B., Gautam, D., Rao, E. V., Swamy, K. R., & Karihaloo, J. L. (2003). Comparative assessment of DNA fingerprinting techniques (RAPD, ISSR and AFLP) for genetic analysis of cashew (*Anacardium occidentale* L.) accessions of India. *Genome*, 46(3), 362-369.
10. Bagavan, A., & Rahuman, A. A. (2011). Evaluation of larvicidal activity of medicinal plant extracts against three mosquito vectors. *Asian Pacific Journal of Tropical Medicine*, 4(1), 29-34.
11. Bandel, G. (1974). Chromosome numbers and evolution in the Leguminosae. *Caryologia*, 27(1), 17-32.
12. Banerjee, S., & Mazumdar, S. (2012). Electrospray ionization mass spectrometry: A technique to access the information beyond the molecular weight of the analyte. *International Journal of Analytical Chemistry*, 2012.
13. Barker, J. H., Matthes, M., Arnold, G. M., Edwards, K. J., Åhman, I., Larsson, S., & Karp, A. (1999). Characterisation of genetic diversity in potential biomass willows (*Salix* spp.) by RAPD and AFLP analyses. *Genome*, 42(2), 173-183.
14. Bayerlein, F., Kuhn, M., & Maton, M. (1989). U.S. Patent No. 4/826,700.

15. Bhalerao, S. A., Verma, D. R., Teli, N. C., Gavankar, R. V., Trikannad, A. A., & Salvi, P. P. (2013). Bioactive constituents, ethnobotany and pharmacological prospective of *Cassia tora* linn. *International Journal of Bioassays*, 2(11), 1421-1427.
16. Bian, D. X., Liu, J., Lu, L., Liu, H., Guo, J. C., Yang, W. J., Liu, Y. L., Luo, Y., Zhuang, Z. J., Chen, J. Y., & Shi, J. P. (2013). Protective effects of rhein on hepatic progression in HBV-transgenic mice with nonalcoholic steatohepatitis induced by a high-fat diet. *Chinese Journal of Experimental and Clinical Virology*, 27(5), 328-331.
17. Biondo, E., Miotto, S. T. S., & Schifino-Wittmann, M. T. (2005). Chromosome numbers and systematic implications in species of subfamily Caesalpinoideae (Leguminosae) from the southern region of Brazil. *Brazilian Journal of Botany*, 28(4), 797-808.
18. Biswas, S., Mukherjee, A., & PAL, J. K. (2017). Flowering seasons of some common ethnomedicinal plants of Bankura district, West Bengal (India). *Indian Journal of Scientific Research*, 15(1), 54-60.
19. Bolourian, S., & Pakravan, M. (2011). A morphometric study of the annual species of Alyssum (Brassicaceae) in Iran based on their macro-and micromorphological characters. *Phytologia Balcanica*, 17(3), 283-289.
20. Boonkerd, T., Pechsri, S., & Baum, B. R. (2005). A phenetic study of *Cassia* sensu lato (Leguminosae-Caesalpinoideae: Cassieae: Cassiinae) in Thailand. *Plant Systematics and Evolution*, 252(3-4), 153-165.

21. Brenan, J. P. M. (1958). New and noteworthy cassias from tropical Africa. *Kew Bulletin*, 13(2), 231-252.
22. Bruneau, A., Forest, F., Herendeen, P. S., Klitgaard, B. B., & Lewis, G. P. (2001). Phylogenetic relationships in the Caesalpinoideae (Leguminosae) as inferred from chloroplast trnL intron sequences. *Systematic Botany*, 487-514.
23. Buchanan, G. A., Hoveland, C. S., & Harris, M. C. (1975). Response of weeds to soil pH. *Weed Science*, 23(6), 473-477.
24. Burdon, J. J. (1980). Intra-specific diversity in a natural population of *Trifolium repens*. *The Journal of Ecology*, 68(3), 717-735.
25. Burkhill, H. M. (1995). The useful plants of West Tropical Africa (Vol. 1), 2nd Ed., Royal Botanical Gardens, Kew, 3, 150-167.
26. Bussmann, R. W., Malca-García, G., Glenn, A., Sharon, D., Chait, G., Díaz, D., Pourmand, K., Jonat, B., Somogy, S., Guardado, G., & Aguirre, C. (2010). Minimum inhibitory concentrations of medicinal plants used in Northern Peru as antibacterial remedies. *Journal of Ethnopharmacology*, 132(1), 101-108.
27. Candy, H. A., McGarry, E. J., & Pegel, K. H. (1968). Constituents of *Syzygium cordatum*. *Phytochemistry*, 7(5), 889-890.
28. Cardoso, F. C. G., Marques, R., Botosso, P. C., & Marques, M. C. M. (2012). Stem growth and phenology of two tropical trees in contrasting soil conditions. *Plant and Soil*, 354(1-2), 269-281.

29. Carvalho, D. A., & Oliveira, P. E. (2003). Reproductive biology and pollination of *Senna sylvestris* (Vell.) H. S. Irwin & Barneby (Leguminosae, Caesalpinoideae). *Brazilian Journal of Botany*, 26(3), 319-328.
30. Chen, Y. Y., Chiang, S. Y., Lin, J. G., Ma, Y. S., Liao, C. L., Weng, S. W., Lai, T. Y., & Chung, J. G. (2010). Emodin, aloe-emodin and rhein inhibit migration and invasion in human tongue cancer SCC-4 cells through the inhibition of gene expression of matrix metalloproteinase-9. *International Journal of Oncology*, 36(5), 1113-1120.
31. Chung, J. G., Tsou, M. F., Wang, H. H., Lo, H. H., Hsieh, S. E., Yen, Y. S., Lii T. W., Shih H. C., Chin C. H., & Chi F. H. (1998). Rhein affects arylamine N-acetyltransferase activity in *Helicobacter pylori* from peptic ulcer patients. *Journal of Applied Toxicology*, 18(2), 117–123.
32. Cock, M. J. W., & Evans, H. C. (1984). Possibilities for biological control of *Cassia tora* and *C. obtusifolia*. *International Journal of Pest Management*, 30(4), 339-350.
33. Coleman, J. R., & DeMenezes, E. M. (1980). Chromosome numbers in Leguminosae from the state of São Paulo, Brazil. *Rhodora*, 82(831), 475-481.
34. Cong, Q., Shang, M., Dong, Q., Liao, W., Xiao, F., & Ding, K. (2014). Structure and activities of a novel heteroxylan from *Cassia obtusifolia* seeds and its sulfated derivative. *Carbohydrate Research*, 393, 43-50.

35. Cong, X. D., Ding, M. J., Dai, D. Z., Wu, Y., Zhang, Y., & Dai, Y. (2012). ER stress, p66shc, and p-Akt/Akt mediate adjuvant-induced inflammation, which is blunted by argirein, a supermolecule and rhein in rats. *Inflammation*, 35(3), 1031-1040.
36. Cordeiro, J. M. P., & Felix, L. P. (2018). Intra-and interspecific karyotypic variations of the genus *Senna* Mill. (Fabaceae, Caesalpinioideae). *Acta Botanica Brasilica*, 32(1), 128-134.
37. Cordeiro, J. M., Kaehler, M., Souza, G., & Felix, L. P. (2017). Karyotype analysis in Bignonieae (Bignoniaceae): chromosome numbers and heterochromatin. *Anais da Academia Brasileira de Ciências*, 89(4), 2697-2706.
38. Crawford, L., & Friedman, M. (1990). The effects of low levels of dietary toxic weed seeds (jimson weed, *Datura stramonium* and sicklepod, *Cassia obtusifolia*) on the relative size of rat liver and levels and function of cytochrome P-450. *Toxicology Letters*, 54(2-3), 175-181.
39. Creel, J. M., Hoveland, C. S., & Buchanan, G. A. (1968). Germination, growth, and ecology of sicklepod. *Weed Science*, 16(3), 396-400.
40. Dave, H., & Ledwani, L. (2012). A review on anthraquinones isolated from *Cassia* species and their applications, *Indian Journal of Natural Products and Resources*, 3(3), 291-319.
41. Deshpande, J. (2008). Glimpses of ayurveda in medieval chinese medicine vijaya, *Indian Journal of History of Science*, 43(2), 137-161.

42. Diarra, N., van't Klooster, C., Togola, A., Diallo, D., Willcox, M., & de Jong, J. (2015). Ethnobotanical study of plants used against malaria in Sélingué subdistrict, Mali. *Journal of Ethnopharmacology*, 166, 352-360
43. Dierig, D. A., Adam, N. R., Mackey, B. E., Dahlquist, G. H., & Coffelt, T. A. (2006). Temperature and elevation effects on plant growth, development, and seed production of two *Lesquerella* species. *Industrial Crops and Products*, 24(1), 17-25.
44. Dinis, L. T., Peixoto, F., Pinto, T., Costa, R., Bennett, R. N., & Gomes-Laranjo, J. (2011). Study of morphological and phenological diversity in chestnut trees ('Judia'variety) as a function of temperature sum. *Environmental and Experimental Botany*, 70(2-3), 110-120.
45. Dirar, H. A., Harper, D. B., & Collins, M. A. (1985). Biochemical and microbiological studies on kawal, a meat substitute derived by fermentation of *Cassia obtusifolia* leaves. *Journal of the Science of Food and Agriculture*, 36(9), 881-892.
46. Doughari, J. H., El-Mahmood, A. M., & Tyoyina, I. (2008). Antimicrobial activity of leaf extracts of *Senna obtusifolia* (L). *African Journal of Pharmacy and Pharmacology*, 2(1), 007-013.
47. Doyle, J. J., Chappill, J. A., Bailey, C. D., & Kajita, T. (2000). Towards a comprehensive phylogeny of legumes: evidence from rbcL sequences and non-molecular data. *Advances in Legume Systematics*, 9, 1-20.

48. Du, H., Shao, J. Q., Gu, P., Wang, J., & Liu, Z. H. (2011). Effect of early intervention with rhein on islet function in db/db mice. *Journal of Southern Medical University*, 31(9), 1526-1529.
49. Du, H., Shao, J., Gu, P., Lu, B., Wang, J., & Liu, Z. (2010). Effect of rhein treatment on first-phase insulin secretory function in db/db mice. *China Journal of Chinese Materia Medica*, 35(20), 2764-2767.
50. Du, H., Shao, J., Gu, P., Lu, B., Ye, X., & Liu, Z. (2012). Improvement of glucose tolerance by rhein with restored early-phase insulin secretion in db/db mice. *Journal of Endocrinological Investigation*, 35(6), 607-612.
51. Du, Q., Bian, X. L., Xu, X. L., Zhu, B., Yu, B., & Zhai, Q. (2013). Role of mitochondrial permeability transition in human hepatocellular carcinoma Hep-G2 cell death induced by rhein. *Fitoterapia*, 91, 68-73.
52. Dulberger, R., Smith, M. B., & Bawa, K. S. (1994). The stigmatic orifice in *Cassia*, *Senna*, and *Chamaecrista* (Caesalpiniaceae): morphological variation, function during pollination, and possible adaptive significance. *American Journal of Botany*, 81(11), 1390-1396.
53. Duraisamy, S., & Subramaniam, P. (2010). Phenological observation and population dynamics of six uncommon medicinal plants in the grasslands of Nilgiris, Western Ghats, India. *Maejo International Journal of Science and Technology*, 4(2), 185-192.
54. Dutta, A., & Bratati, D. E. (1998). Seasonal variation in the content of sennosides and rhein in leaves and pods of *Cassia fistula*. *Indian Journal of Pharmaceutical Sciences*, 60(6), 388.

55. Elaine, B., Miotto, S. T., Schifino-Wittmann, M. T., & De Castro, B. (2005). Cytogenetics and cytotaxonomy of Brazilian species of *Senna* Mill. (Cassieae-Caesalpinioideae-Leguminosae). *Caryologia*, 58(2), 152-163.
56. El-Ghazali, G. E. (1987). Medicinal Plants of the Sudan: Medicinal Plants of the Eastern Nuba Mountains. National Council for Research, Khartoum, Sudan.
57. Endress, P. K. (1996). *Diversity and Evolutionary Biology of Tropical Flowers*. Cambridge University Press. Cambridge.
58. Epifano, F., Fiorito, S., Locatelli, M., Taddeo, V. A., & Genovese, S. (2015). Screening for novel plant sources of prenyloxyanthraquinones: *Senna alexandrina* Mill. and *Aloe vera* (L.) Burm. F. *Natural Product Research*, 29(2), 180-184.
59. Essiett, U. A., & Bassey, I. E. (2013). Comparative Phytochemical Screening and Nutritional Potentials of the Flowers (petals) of *Senna alata* (l) roxb, *Senna hirsuta* (l.) Irwin and barneby, and *Senna obtusifolia* (l.) Irwin and barneby (fabaceae). *Journal of Applied Pharmaceutical Science*, 3(8), 97.
60. Fairbairn, J. W., & Shrestha, A. B. (1967). The distribution of anthraquinone glycosides in *Cassia senna* L. *Phytochemistry*, 6(9), 1203-1207.
61. Fathalla, N., Bishr, M., Nasser Singab, A., & Salama, O. (2018). GC-MS and LC-MS identification of the phenolic compounds present in the ethyl acetate fraction obtained from *Senna tora*, L. Roxb. seeds. *Natural Product Research*, 1-4.
62. Fenn, J. B. (2003). Electrospray wings for molecular elephants (Nobel lecture). *Angewandte Chemie International Edition*, 42(33), 3871-3894.

63. Fernand, V. E., Losso, J. N., Truax, R. E., Villar, E. E., Bwambok, D. K., Fakayode, S. O., Lowry, M & Warner, I. M. (2011). Rhein inhibits angiogenesis and the viability of hormone-dependent and-independent cancer cells under normoxic or hypoxic conditions in vitro. *Chemico-Biological Interactions*, 192(3), 220-232.
64. Forgo, P., & Kövér, K. E. (2004). Gradient enhanced selective experiments in the ¹H NMR chemical shift assignment of the skeleton and side-chain resonances of stigmasterol, a phytosterol derivative. *Steroids*, 69(1), 43-50.
65. Fredrick, C., Muthuri, C., Ngamau, K., & Sinclair, F. (2015). Provenance variation in seed morphological characteristics, germination and early seedling growth of *Faidherbia albida*. *Journal of Horticulture and Forestry*, 7(5), 127-140.
66. Freigoun, S. A., Raddad, E. Y., & Elagib, T. Y. (2017). Provenance variation in seed morphological traits and early seedling growth of *Balanites aegyptiaca* Del. *Sudan Journal of Agricultural Research*, 27(2), 93- 108.
67. Frieling, T., Rupprecht, C., & Schemann, M. (1993). Rhein stimulates electrogenic chloride secretion by activation of submucosal neurons in guinea pig colon. *Pharmacology*, 47(Suppl. 1), 70-76.
68. Garcia-Mas, J., Oliver, M., Gomez-Paniagua, H., & De Vicente, M. C. (2000). Comparing AFLP, RAPD and RFLP markers for measuring genetic diversity in melon. *Theoretical and Applied Genetics*, 101(5-6), 860-864.
69. Gaspar, H., Brito Palma, F. M. S., de La Torre, M. C., & Rodriguez, B. (1996). 20-deacetylerocephalin: ¹H-and ¹³C-NMR assignments. *Fitoterapia*, 67(2), 188-189.

70. Ghareeb, A., Khalifa, S. F., & Fawzi, N. (1999). Molecular systematics of some *Cassia* species. *Cytologia*, 64(1), 11-16.
71. Ghosh, L., & Singh, L. (2011). Variation in seed and seedling characters of *Jatropha curcas* L. with varying zones and provenances. *Tropical Ecology*, 52(1), 113-122.
72. Gienapp, P., Hemerik, L., & Visser, M. E. (2005). A new statistical tool to predict phenology under climate change scenarios. *Global Change Biology*, 11(4), 600-606.
73. Ginwal, H. S., Phartyal, S. S., Rawat, P. S., & Srivastava, R. L. (2005). Seed source variation in morphology, germination and seedling growth of *Jatropha curcas* Linn. in central India. *Silvae Genetica*, 54(1-6), 76-80.
74. Godoy, O., & Levine, J. M. (2014). Phenology effects on invasion success: insights from coupling field experiments to coexistence theory. *Ecology*, 95(3), 726-736.
75. Goldblatt, P. (1981). Chromosome numbers in legumes II. *Annals of the Missouri Botanical Garden*, 68(4), 551-557.
76. Gomez-Campo, C., Herranz-Sanz, J. M., & Montero-Riquelme, F. (2001). The genus *Coincya* Rouy (Cruciferae) in south-central Spain revisited: a morphometric analysis of population structure. *Botanical Journal of the Linnean Society*, 135(2), 125-135.

77. Gonzalez, A., & Loreau, M. (2009). The causes and consequences of compensatory dynamics in ecological communities. *Annu. Rev. Ecol. Evol. Syst.*, 40, 393-414.
78. Gottsberger, G., & Silberbauer-Gottsberger, I. (1988). Evolution of flower structures and pollination in Neotropical *Cassiinae* (*Caesalpiniaceae*) species. *Phyton*, 28(2), 293-320.
79. Guerra, M. (2008). Chromosome numbers in plant cytobotany: Concepts and implications. *Cytogenetic and Genome Research*, 120(3-4), 339-350.
80. Guo, H., Chang, Z., Yang, R., Guo, D., & Zheng, J. (1998). Anthraquinones from hairy root cultures of *Cassia obtusifolia*. *Phytochemistry*, 49(6), 1623-1625.
81. Guo, M. Z., Li, X. S., Xu, H. R., Mei, Z. C., Shen, W., & Ye, X. F. (2002). Rhein inhibits liver fibrosis induced by carbon tetrachloride in rats. *Acta Pharmacologica Sinica*, 23(8), 739-744.
82. Habib, A. A. M., & El-Sebakhy, N. A. (1980). Spectrophotometric estimation of sennosides and rhein glycosides in senna and its preparations. *Journal of Natural Products*, 43(4), 452-458.
83. Han, Y. S., Van der Heijden, R., & Verpoorte, R. (2001). Biosynthesis of anthraquinones in cell cultures of the Rubiaceae. *Plant Cell, Tissue and Organ Culture*, 67(3), 201-220.
84. Hao, Y. J., Sang, Y. L., & Zhao, Y. Q. (2001). The advancement of the studies on the seeds of *Cassia obtusifolia*. *Chinese Tradit Herb Drugs*, 32, 858-859.

85. Harper, J. L. (1977). *Population biology of plants* (No. 581.16 H294). Academic Press.
86. Harry-O'Kuru, R. E., & Mohamed, A. (2009). Processing scale-up of sicklepod (*Senna obtusifolia* L.) seed. *Journal of Agricultural and Food Chemistry*, 57(7), 2726-2731.
87. Harry-O'kuru, R. E., Payne-Wahl, K. L., & Busman, M. (2012). Medicinal components recoverable from Sicklepod (*Senna obtusifolia*) seed: Analysis of components by HPLC-MSn. *Journal of Chromatography Separation Techniques S*, 2. DOI: 10.4172/2157-7064.S1-001.
88. Hatano, T., Uebayashi, H., Ito, H., Shiota, S., Tsuchiya, T., & Yoshida, T. (1999). Phenolic constituents of *Cassia* seeds and antibacterial effect of some naphthalenes and anthraquinones on methicillin-resistant *Staphylococcus aureus*. *Chemical and Pharmaceutical Bulletin*, 47(8), 1121-1127.
89. Hauptmann, H., & Nazario, L. L. (1950). Some Constituents of the Leaves of *Cassia alata* L. *Journal of the American Chemical Society*, 72(4), 1492-1495.
90. He, D., Lee, L., Yang, J., & Wang, X. (2011). Preventive effects and mechanisms of rhein on renal interstitial fibrosis in obstructive nephropathy. *Biological and Pharmaceutical Bulletin*, 34(8), 1219-1226.
91. Henderson, A., & Ferreira, E. (2002). A morphometric study of *Synechanthus* (Palmae). *Systematic Botany*, 27(4), 693-703.

92. Heo, S. K., Yun, H. J., Park, W. H., & Park, S. D. (2009). Rhein inhibits TNF- α -induced human aortic smooth muscle cell proliferation via mitochondrial-dependent apoptosis. *Journal of Vascular Research*, 46(4), 375-386.
93. Heslop-Harrison, J. S., & Schwarzacher, T. (2011). Organisation of the plant genome in chromosomes. *The Plant Journal*, 66(1), 18-33.
94. Hodkinson, T. R., Chase, M. W., & Renvoize, S. A. (2002). Characterization of a genetic resource collection for Miscanthus (Saccharinae, Andropogoneae, Poaceae) using AFLP and ISSR PCR. *Annals of Botany*, 89(5), 627-636.
95. Holman, J. E., & Playford, J. (2000). Molecular and morphological variation in the *Senna artemisioides* complex. *Australian Journal of Botany*, 48(5), 569-579.
96. Hoveland, C. S., & Buchanan, G. A. (1973). Weed seed germination under simulated drought. *Weed Science*, 21(4), 322-324.
97. Hsu, S. C., & Chung, J. G. (2012). Anticancer potential of emodin. *BioMedicine*, 2(3), 108-116.
98. Hu, G., Liu, J., Zhen, Y. Z., Wei, J., Qiao, Y., Lin, Y. J., & Tu, P. (2013). Rhein inhibits the expression of vascular cell adhesion molecule 1 in human umbilical vein endothelial cells with or without lipopolysaccharide stimulation. *The American Journal of Chinese Medicine*, 41(03), 473-485.
99. Huang, P. H., Huang, C. Y., Chen, M. C., Lee, Y. T., Yue, C. H., Wang, H. Y., & Lin, H. (2013). Emodin and aloe-emodin suppress breast cancer cell proliferation through ER α inhibition. *Evidence-Based Complementary and Alternative Medicine*, 2013, 1-12. DOI: org/10.1155/2013/376123.

100. Inouye, H., & Leistner, E. (1988). Biosynthesis of quinones. *The Chemistry of Quinonoid Compounds*, 2, 1293-1349.
101. Ip, S. W., Weng, Y. S., Lin, S. Y., YANG, M. D., Tang, N. Y., Su, C. C., & Chung, J. G. (2007). The role of Ca⁺ 2 on rhein-induced apoptosis in human cervical cancer Ca Ski cells. *Anticancer Research*, 27(1A), 379-389.
102. Irwin, H. S., & Barneby, R. C. (1982). The American Cassiinae: a synoptical revision Leguminosae, Tribe Cassieae, Subtribe Cassiinae in New World. *Mem NY Bot Gard*, 35(1–2), 893–918.
103. Irwin, H. S., & Barneby, R. C. (1981). Tribe Cassieae Brunn. *Advances in Legume Systematics*. Part, 1, 97-106.
104. Ittiyavirah, S. P., & Hameed, J. (2014). Herbs treating Parkinson's disease. *Biomedicine & Aging Pathology*, 4(4), 369-376.
105. Ittiyavirah, S. P., & Hameed, J. (2014). Herbs treating Parkinson's disease. *Biomedicine & Aging Pathology*, 4(4), 369-376.
106. Jaccard, P. (1908). Nouvelles recherches sur la distribution florale. *Bull. Soc. Vaud. Sci. Nat.*, 44, 223-270.
107. Jain, S., & Patil, U. K. (2010). Phytochemical and pharmacological profile of *Cassia tora* Linn. An Overview. *Indian Journal of Natural Products and Resources*, 1(4), 430-437.
108. James, P. A., & Fossett, G. W. (1983). Sicklepod (*Cassia obtusifolia* L.) in central Queensland. *Australian Weeds*, 2, 80-81.

109. Jang, D. S., Lee, G. Y., Kim, Y. S., Lee, Y. M., Kim, C. S., Yoo, J. L., & Kim, J. S. (2007). Anthraquinones from the seeds of *Cassia tora* with inhibitory activity on protein glycation and aldose reductase. *Biological and Pharmaceutical Bulletin*, 30(11), 2207-2210.
110. Jang, Y. S., Baek, B. R., Yang, Y. C., Kim, M. K., & Lee, H. S. (2002). Larvicidal activity of leguminous seeds and grains against *Aedes aegypti* and *Culex pipiens pallens*. *Journal of the American Mosquito Control Association*, 18(3), 210-213.
111. Jeruto, P., Arama, P., Anyango, B., Nyunja, R., Taracha, C., & Opiyo, S. (2017). Morphometric study of *Senna didymobotrya* (Fresen.) H. S. Irwin and Barneby in Kenya. *Journal of Natural Sciences Research*, 7(6), 54-69.
112. Ji, W. S., Gao, Z. X., Wu, K. C., Qiu, J. W., Shi, B. L., & Fan, D. M. (2005). Effect of Hewei-Decoction on chronic atrophic gastritis and eradication of *Helicobacter pylori*. *World Journal of Gastroenterology*, 11(7), 986-989.
113. Ji, Z. Q., Huang, C. W., Liang, C. J., Sun, W. W., Chen, B., & Tang, P. R. (2005). Effects of rhein on activity of caspase-3 in kidney and cell apoptosis on the progression of renal injury in glomerulosclerosis. *Zhonghua Yi Xue Za Zhi*, 85(26), 1836-1841
114. Johnson, W. C., Cardina, J., & Mullinix, B. G. (1994). Dynamics of subeconomic threshold populations of sicklepod (*Cassia obtusifolia*) in a peanut-cotton-corn rotation. *Weed Science*, 42(3), 364-368.

115. Jones, C. J., Edwards, K. J., Castaglione, S., Winfield, M. O., Sala, F., Van de Wiel, C., Bredemeijer, G., Vosman, B., Matthes, M., Daly, A., & Brettschneider, R. (1997). Reproducibility testing of RAPD, AFLP and SSR markers in plants by a network of European laboratories. *Molecular Breeding*, 3(5), 381-390.
116. Ju, M. S., Kim, H. G., Choi, J. G., Ryu, J. H., Hur, J., Kim, Y. J., & Oh, M. S. (2010). Cassiae semen, a seed of *Cassia obtusifolia*, has neuroprotective effects in Parkinson's disease models. *Food and Chemical Toxicology*, 48(8-9), 2037-2044.
117. Jung, H. A., Ali, M. Y., Jung, H. J., Jeong, H. O., Chung, H. Y., & Choi, J. S. (2016). Inhibitory activities of major anthraquinones and other constituents from *Cassia obtusifolia* against β -secretase and cholinesterases. *Journal of Ethnopharmacology*, 191, 152-160.
118. Kamaraj, C., Rahuman, A. A., Bagavan, A., Elango, G., Zahir, A. A., & Santhoshkumar, T. (2011). Larvicidal and repellent activity of medicinal plant extracts from Eastern Ghats of South India against malaria and filariasis vectors. *Asian Pacific Journal of Tropical Medicine*, 4(9), 698-705.
119. Kang, S. C., Lee, C. M., Choung, E. S., Bak, J. P., Bae, J. J., Yoo, H. S., H. S., Kwak, J. H., & Zee, O. P. (2008). Anti-proliferative effects of estrogen receptor-modulating compounds isolated from *Rheum palmatum*. *Archives of Pharmacal Research*, 31(6), 722-726.
120. Katoch, B. S., & Bhowmik, K. B. D. (1983). Biological evaluation of cassia seeds (*Cassia tora* and *Cassia floribunda*) as poultry feed ingredients. *Indian Veterinary Journal*, 60, 390-395.

121. Kazmi, M. H., Malik, A., Hameed, S., Akhtar, N., & Ali, S. N. (1994). An anthraquinone derivative from *Cassia italica*. *Phytochemistry*, 36(3), 761-763.
122. Kijjoa, A., Gonzalez, M. J., Afonso, C. M., Pinto, M. M., Anantachoke, C., & Herz, W. (2000). Xanthones from *Calophyllum teysmannii* var. inophylloide. *Phytochemistry*, 53(8), 1021-1024.
123. Kim, D. H., Kim, S., Jung, W. Y., Park, S. J., Park, D. H., Kim, J. M., Cheong, J. H., & Ryu, J. H. (2009). The neuroprotective effects of the seeds of *Cassia obtusifolia* on transient cerebral global ischemia in mice. *Food and chemical toxicology*, 47(7), 1473-1479.
124. Kim, D. H., Yoon, B. H., Kim, Y. W., Lee, S., Shin, B. Y., Jung, J. W., Kim, H. J., Lee, Y. S., Choi, J. S., Kim, S. Y., & Lee, K. T. (2007). The seed extract of *Cassia obtusifolia* ameliorates learning and memory impairments induced by scopolamine or transient cerebral hypoperfusion in mice. *Journal of Pharmacological Sciences*, 105(1), 82-93.
125. Kim, I. G., Kang, S. C., Kim, K. C., Choung, E. S., & Zee, O. P. (2008). Screening of estrogenic and antiestrogenic activities from medicinal plants. *Environmental Toxicology and Pharmacology*, 25(1), 75-82.
126. Kim, J. E., Lee, Y. J., Kwak, M. H., Ko, J., Hong, J. T., & Hwang, D. Y. (2013). Aqueous extracts of *Liriope platyphylla* induced significant laxative effects on loperamide-induced constipation of SD rats. *BMC Complementary and Alternative Medicine*, 13(1), 333.

127. Kirov, I., Khrustaleva, L., Van Laere, K., Soloviev, A., Meeus, S., Romanov, D., & Fesenko, I. (2017). DRAWID: user-friendly java software for chromosome measurements and idiogram drawing. *Comparative Cytogenetics*, 11(4), 747.
128. Kitanaka, S., & Takido, M. (1981). Studies on the constituents of the seeds of *Cassia obtusifolia*: The structures of two new lactones, isotoralactone and cassialactone. *Phytochemistry*, 20(8), 1951-1953.
129. Kitanaka, S., & Takido, M. (1986). Studies on the constituents in the roots of *Cassia obtusifolia* L. and the antimicrobial activities of constituents of the roots and the seeds. *Yakugaku zasshi: Journal of the Pharmaceutical Society of Japan*, 106(4), 302.
130. Kitanaka, S., Kimura, F., & Takido, M. (1985). Studies on the constituents of the seeds of *Cassia obtusifolia* Linn. The structures of two new anthraquinone glycosides. *Chemical & Pharmaceutical Bulletin*. 33(3), 1274-1276
131. Kitanaka, S., Ogata, K., & Takido, M. (1990). Revision of the structure and absolute configuration of cassialactone. *Phytochemistry*, 29(3), 999-1002.
132. Klass, J., Tinto, W. F., McLean, S., & Reynolds, W. F. (1992). Friedeland triterpenoids from Peritassa compta: complete 1H and 13C assignments by 2D NMR spectroscopy. *Journal of Natural Products*, 55(11), 1626-1630.
133. Koblitz, H. (1988). Anthraquinones. In *Phytochemicals in Plant Cell Cultures*. Academic Press. London, 113-139.

134. Korulkin, D. Y., & Muzychkina, R. A. (2015). Biosynthesis and Metabolism of Anthraquinone Derivatives. *World Academy of Science, Engineering and Technology, International Journal of Medical, Health, Biomedical, Bioengineering and Pharmaceutical Engineering*, 8(7), 454-457.
135. Koshioka, M., & Takino, Y. (1978). Studies on the evaluation of crude drug. I. Quantitative estimation of anthraquinones in *Cassia* seeds. *Chemical and Pharmaceutical Bulletin*, 26(5), 1343-1347.
136. Koyama, J., Morita, I., Kawanishi, K., Tagahara, K., & Kobayashi, N. (2003). Capillary electrophoresis for simultaneous determination of emodin, chrysophanol, and their 8- β -D-glucosides. *Chemical and Pharmaceutical Bulletin*, 51(4), 418-420.
137. Kuiate, J. R., Mouokeu, S., Wabo, H. K., & Tane, P. (2007). Antidermatophytic triterpenoids from *Syzygium jambos* (L.) Alston (Myrtaceae). *Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives*, 21(2), 149-152.
138. Kulkarni, T. G., Gowthamarajan, K., Rao, G. B., & Suresh, B. (2002). Evaluation of Binding Properties of Selected Natural Mucilages. *Journal of Scientific & Industrial Research*, 61, 529-532.
139. Kumar, T., Gupta, S. K., Prajapati, M. K., & Tripathi, D. (2012). Natural excipients: A review. *Asian Journal of Pharmacy and Life Science*, 2(1), 97-108.
140. Kundlik, G., Vishal, L., & Ranju, P. (2012). A novel binding agent for pharmaceutical formulation from *Cassia tora* seeds. *World Journal of Pharmacy and Pharmaceutical Science*, 1(1), 376-383.

141. Kushwaha, C. P., Tripathi, S. K., Tripathi, B. D., & Singh, K. P. (2011). Patterns of tree phenological diversity in dry tropics. *Acta Ecologica Sinica*, 31(4), 179-185.
142. Lai, W. W., Yang, J. S., Lai, K. C., Kuo, C. L., Hsu, C. K., Wang, C. K., Chang, C. Y., Lin, J. J., Tang, N. Y., Chen, P. Y., & Huang, W. W. (2009). Rhein induced apoptosis through the endoplasmic reticulum stress, caspase-and mitochondria-dependent pathways in SCC-4 human tongue squamous cancer cells. *In Vivo*, 23(2), 309-316.
143. Landim, L. P., Feitoza, G. S., & da Costa, J. G. (2013). Development and validation of a HPLC method for the quantification of three flavonoids in a crude extract of *Dimorphandra gardneriana*. *Revista Brasileira de Farmacognosia*, 23(1), 58-64.
144. Layek, B., Kumar, T. S., Trivedi, R. K., Mullangi, R., & Srinivas, N. R. (2008). Development and validation of a sensitive LC-MS/MS method with electrospray ionization for quantitation of rhein in human plasma: application to a pharmacokinetic study. *Biomedical Chromatography*, 22(6), 616-624.
145. Leistner, E. (1981). Biosynthesis of Plant Quinones. In *The Biochemistry of Plants*, Vol. 7, Academic Press, London, 403-423.
146. Leistner, E. (1985). Biosynthesis of Chorismate-Derived Quinones in Plant Cell Cultures. In *Primary and Secondary Metabolism of Plant Cell Cultures*. Springer, Berlin, 215-224.
147. Leistner, E. (1995). Morinda species: Biosynthesis of quinones in cell cultures. In *Medicinal and Aromatic Plants VIII*. Springer, Berlin, Heidelberg, 296–307.

148. Lemli, J. (1965). The estimation of anthracene derivatives in senna and rhubarb. *Journal of Pharmacy and Pharmacology*, 17(4), 227-232.
149. Leng-Peschlow, E. (1993). Sennoside-induced secretion is not caused by changes in mucosal permeability or Na⁺, K (+)-ATPase activity. *The Journal of Pharmacy and Pharmacology*, 45(11), 951.
150. Levan, A., Fredga, K., & Sandberg, A. A. (1964). Nomenclature for centromeric position on chromosomes. *Hereditas*, 52(2), 201-220.
151. Levitsky, G. A. (1931). The karyotype in systematics. *Bull. Appl. Bot. Genet. Plant Breeding*, 27, 220-240.
152. Lewis, G. P. (2005). *Legumes of the World*. Richmond: Royal Botanic Gardens, Kew.
153. Li, F. K., Lai, C. K., Poon, W. T., Chan, A. Y. W., Chan, K. W., Tse, K. C., Chan, T. M., & Lai, K. N. (2004). Aggravation of non-steroidal anti-inflammatory drug-induced hepatitis and acute renal failure by slimming drug containing anthraquinones. *Nephrology Dialysis Transplantation*, 19(7), 1916-1917.
154. Li, H., Liang, C., Chen, Q., & Yang, Z. (2011). Rhein: a potential biological therapeutic drug for intervertebral disc degeneration. *Medical Hypotheses*, 77(6), 1105-1107.
155. Lin, H. H., Charles, A. L., Hsieh, C. W., Lee, Y. C., & Ciou, J. Y. (2015). Antioxidant effects of 14 Chinese traditional medicinal herbs against human low-density lipoprotein oxidation. *Journal of Traditional and Complementary Medicine*, 5(1), 51-55.

156. Lin, M. L., Chung, J. G., Lu, Y. C., Yang, C. Y., & Chen, S. S. (2009). Rhein inhibits invasion and migration of human nasopharyngeal carcinoma cells in vitro by down-regulation of matrix metalloproteinases-9 and vascular endothelial growth factor. *Oral Oncology*, 45(6), 531-537.
157. Lin, S., Fujii, M., & Hou, D. X. (2003a). Rhein induces apoptosis in HL-60 cells via reactive oxygen species-independent mitochondrial death pathway. *Archives of Biochemistry and Biophysics*, 418(2), 99-107.
158. Lin, S., Li, J. J., Fujii, M., & Hou, D. X. (2003b). Rhein inhibits TPA-induced activator protein-1 activation and cell transformation by blocking the JNK-dependent pathway. *International Journal of Oncology*, 22(4), 829-833.
159. Lind, E. M., & Wickens, G. E. (1978). The Flora of Jebel Marra (Sudan Republic) and Its Geographical Affinities. *The Geographical Journal*, 144(3), 496-497.
160. Linnaeus, C. (1753). *Species plantarum* (Vol. 1). Impensis GC Nauk.
161. Liu, J., Chen, Z., Zhang, Y., Zhang, M., Zhu, X., Fan, Y., Shi, S., Zen, K., & Liu, Z. (2013). Rhein protects pancreatic β -cells from dynamin-related protein-1-mediated mitochondrial fission and cell apoptosis under hyperglycemia. *Diabetes*, 62(11), 3927-3935.
162. Liu, Q., Zhang, X. L., Tao, R. Y., Niu, Y. J., Chen, X. G., Tian, J. Y., & Ye, F. (2011). Rhein, an inhibitor of adipocyte differentiation and adipogenesis. *Journal of Asian Natural Products Research*, 13(8), 714-723.

163. Liu, X., Cheng, J., Zheng, X., Chen, Y., Wu, C., Li, B., Fu, J., Cao, H., Lu, Y., Li, J., & Zheng, J. (2009). Targeting CpG DNA to screen and isolate anti-sepsis fraction and monomers from traditional Chinese herbs using affinity biosensor technology. *International Immunopharmacology*, 9(9), 1021-1031.
164. Liu, Z., Song, T., Zhu, Q., Wang, W., Zhou, J., & Liao, H. (2014). De novo assembly and analysis of *Cassia obtusifolia* seed transcriptome to identify genes involved in the biosynthesis of active metabolites. *Bioscience, Biotechnology, and Biochemistry*, (5), 791-799.
165. Liu, Z., Zhu, Q., Li, J., Zhang, G., Jiamahate, A., Zhou, J., & Liao, H. (2015a). Isolation, structure modeling and function characterization of a trypsin inhibitor from *Cassia obtusifolia*. *Biotechnology Letters*, 37(4), 863-869.
166. Liu, Z., Zhu, Q., Li, Y., Yu, J., Wang, W., Tan, R., Zhou, J., & Liao, H. (2015b). Isolation and in silico characterization of a shikimate kinase from *Cassia obtusifolia*. *Acta Physiologiae Plantarum*, 37(4), 85.
167. Li-Weber, M. (2013). Targeting apoptosis pathways in cancer by Chinese medicine. *Cancer Letters*, 332(2), 304-312.
168. Locksley, H. D., & Murray, I. G. (1969). Extractives from Guttiferae. Part XII. The isolation and structure of seven xanthones from *Calophyllum fragrans* Ridley. *Journal of the Chemical Society C: Organic*, 11, 1567-1571.
169. Loo, J. A. (2000). Electrospray ionization mass spectrometry: a technology for studying noncovalent macromolecular complexes. *International Journal of Mass Spectrometry*, 200(1-3), 175-186.

170. Mahwasane, S. T., Middleton, L., & Boaduo, N. (2013). An ethnobotanical survey of indigenous knowledge on medicinal plants used by the traditional healers of the Lwamondo area, Limpopo province, South Africa. *South African Journal of Botany*, 88, 69-75.
171. Maiti, A., & Nandi, A. K. (2019). Intraspecific phenological diversity among some Indian provenances of *Senna obtusifolia* (L.) Irwin and Barneby. *Annals of Plant and Soil Research*, 21(1), 36-42.
172. Mao, R., Xia, P., He, Z., Liu, Y., Liu, F., Zhao, H., Han, R., & Liang, Z. (2017). Identification of seeds based on molecular markers and secondary metabolites in *Senna obtusifolia* and *Senna occidentalis*. *Botanical Studies*, 58(1), 43.
173. Mao, R., Xia, P., Liu, J., Li, X., Han, R., Liu, F., Zhao, H., & Liang, Z. (2018). Genetic diversity and population structure assessment of Chinese *Senna obtusifolia* L. by molecular markers and morphological traits of seed. *Acta Physiologiae Plantarum*, 40(1), 12.
174. Marakli, S. (2018). A Brief Review of Molecular Markers to Analyse Medically Important Plants. *International Journal of Life Sciences and Biotechnology*, 1(1), 29-36.
175. Marazzi, B., Endress, P. K., De Queiroz, L. P., & Conti, E. (2006). Phylogenetic relationships within *Senna* (Leguminosae, Cassiinae) based on three chloroplast DNA regions: patterns in the evolution of floral symmetry and extrafloral nectaries. *American Journal of Botany*, 93(2), 288-303.

176. Mayr, B. M., Kohlbacher, O., Reinert, K., Sturm, M., Gröpl, C., Lange, E., Klein, C., & Huber, C. G. (2006). Absolute Myoglobin Quantitation in Serum by Combining Two-Dimensional Liquid Chromatography – Electrospray Ionization Mass Spectrometry and Novel Data Analysis Algorithms. *Journal of Proteome Research*, 5(2), 414-421.
177. Meena, A. K., Niranjan, U. S., Yadav, A. K., Singh, B., Nagariya, A. K., & Rao, M. M. (2010). *Cassia tora* Linn: A review on its ethnobotany, phytochemical and pharmacological profile. *J Pharm Res*, 3(3), 557-560.
178. Mehta, N., & Laddha, K. S. (2009). A modified method for isolation of rhein from *Senna*. *Indian Journal of Pharmaceutical Sciences*, 71(2), 128-129.
179. Meier, N., Meier, B., Peter, S., & Wolfram, E. (2017). High-performance thin-layer chromatographic fingerprint method for the detection of sennosides in *Cassia senna* L. and *Cassia angustifolia* Vahl. *JPC-Journal of Planar Chromatography-Modern TLC*, 30(4), 238-244.
180. Meudt, H. M., & Clarke, A. C. (2007). Almost forgotten or latest practice? AFLP applications, analyses and advances. *Trends in Plant Science*, 12(3), 106-117.
181. Michener, C. D., & Sokal, R. R. (1957). A quantitative approach to a problem in classification. *Evolution*, 11(2), 130-162.
182. Milbourne, D., Meyer, R., Bradshaw, J. E., Baird, E., Bonar, N., Provan, J., Powell, W., & Waugh, R. (1997). Comparison of PCR-based marker systems for the analysis of genetic relationships in cultivated potato. *Molecular Breeding*, 3(2), 127-136.

183. Miller, P. (1835). *The Gardeners Dictionary* (Vol. 1). 4th Edition, London.
184. Mirzaghamidi, G., & Marzangi, K. (2015). IdeoKar: an ideogram constructing and karyotype analyzing software. *Caryologia*, 68(1), 31-35.
185. Mohanty, S., Das, A. B., Ghosh, N., Panda, B. B., & Smith, D. W. (2010). Genetic diversity of 28 wild species of fodder legume Cassia using RAPD, ISSR and SSR markers: a novel breeding strategy. *Journal of Biotech Research*, 2, 44-55.
186. Moldovan, F., Pelletier, J., Jolicoeur, F. C., Cloutier, J. M., & Martel-Pelletier, J. (2000). Diacerhein and rhein reduce the ICE-induced IL-1 β and IL-18 activation in human osteoarthritic cartilage. *Osteoarthritis and Cartilage*, 8(3), 186-196.
187. Morgante, M., & Olivieri, A. M. (1993). PCR-amplified microsatellites as markers in plant genetics. *The Plant Journal*, 3(1), 175-182.
188. Mulumba, J. W., & Kakudidi, E. (2011). Infraspecific delimitation of *Acacia senegal* (Fabaceae) in Uganda. *American Journal of Plant Sciences*, 2(03), 345.
189. Muranaka, T., & Saito, K. (2010). Production of pharmaceuticals by plant tissue cultures. *Comprehensive Natural Products II*, 3, 615–628.
190. Naeem, M., & Khan, M. M. A. (2006). Influence of calcium on crop yield and biochemical attributes, anthraquinone and sennoside contents of *Cassia tora* L. Roxb. - a medicinal legume. *Journal of Herbs, Spices & Medicinal Plants*, 12(4), 61-73.
191. Nakar, R. N., & Jadeja, B. A. (2015). Flowering and fruiting phenology of some herbs, shrubs and undershrubs from Girnar Reserve Forest, Gujarat, India. *Current Science*, 108(1), 111-118.

192. Nandi, A. K., & Maiti, A. (2018). Report on occurrence of rhein in the leaves of *Senna obtusifolia* (L.) Irwin and Barneby. *Int. J. Pure App. Biosci*, 6(5), 611-613.
193. Nei, M., & Li, W. H. (1979). Mathematical model for studying genetic variation in terms of restriction endonucleases. *Proceedings of the National Academy of Sciences*, 76(10), 5269-5273.
194. Neji, M., Geuna, F., Taamalli, W., Ibrahim, Y., Smida, M., Badri, M., Abdelly, C, & Gandour, M. (2015). Morpho-phenological diversity among Tunisian natural populations of *Brachypodium hybridum*. *The Journal of Agricultural Science*, 153(6), 1006-1016.
195. Newman, D. J., Cragg, G. M., & Snader, K. M. (2003). Natural products as sources of new drugs over the period 1981– 2002. *Journal of Natural Products*, 66(7), 1022-1037.
196. Oladoja, N. A. (2015). Headway on natural polymeric coagulants in water and wastewater treatment operations. *Journal of Water Process Engineering*, 6, 174-192.
197. Owens, S. J., & Lewis, G. P. (1989). Taxonomic and functional implications of stigma morphology in species of *Cassia*, *Chamaecrista*, and *Senna* (Leguminosae: Caesalpinioideae). *Plant Systematics and Evolution*, 163(1-2), 93-105.
198. Panichayupakaranant, P., Sakunpak, A., & Sakunphueak, A. (2009). Quantitative HPLC determination and extraction of anthraquinones in *Senna alata* leaves. *Journal of Chromatographic Science*, 47(3), 197-200.

199. Panigrahi, G. K., Yadav, A., Mandal, P., Tripathi, A., & Das, M. (2016). Immunomodulatory potential of Rhein, an anthraquinone moiety of *Cassia occidentalis* seeds. *Toxicology Letters*, 245, 15-23.
200. Papa, R., Troggio, M., Ajmone-Marsan, P., & Nonnis Marzano, F. (2005). An improved protocol for the production of AFLPTM markers in complex genomes by means of capillary electrophoresis. *Journal of Animal Breeding and Genetics*, 122(1), 62-68.
201. Park, S. B., & Kim, Y. S. (2015). Simultaneous separation of three isomeric sennosides from senna leaf (*Cassia acutifolia*) using counter-current chromatography. *Journal of Separation Science*, 38(20), 3502-3507.
202. Parsons, W. T., & Cuthbertson, E. G. (1992). *Noxious Weeds of Australia*. Inkarta Press, Melbourne.
203. Paszko, B. (2006). A critical review and a new proposal of karyotype asymmetry indices. *Plant Systematics and Evolution*, 258(1-2), 39-48.
204. Patai, S., & Rappoport, Z. (1988). *The Chemistry of the Quinonoid Compounds*, Vol. 2 (two parts). John Wiley & Sons, New York.
205. Patterson, D. T. (1992). Effect of temperature and photoperiod on growth and reproductive development of goatsrue. *Journal of Range Management*, 45(5), 449-449.
206. Patterson, D. T. (1993). Effects of temperature and photoperiod on growth and development of sicklepod (*Cassia obtusifolia*). *Weed Science*, 41(4), 574-582.

207. Patzak, J. (2001). Comparison of RAPD, STS, ISSR and AFLP molecular methods used for assessment of genetic diversity in hop (*Humulus lupulus* L.). *Euphytica*, 121(1), 9-18.
208. Pawar, H., & D mello, P. M. (2004). Isolation of seed gum from *Cassia tora* and preliminary studies of its application as a binder for tablets. *Indian Drugs Bombay*, 41(8), 465-468.
209. Peng, S. N., Zeng, H. H., Fu, A. X., Chen, X. W., & Zhu, Q. X. (2013). Effects of rhein on intestinal epithelial tight junction in IgA nephropathy. *World Journal of Gastroenterology*, 19(26), 4137.
210. Peruzzi, L., & Eroğlu, H. E. (2013). Karyotype asymmetry: again, how to measure and what to measure? *Comparative Cytogenetics*, 7(1), 1-9.
211. Petit, R. J., Duminil, J., Fineschi, S., Hampe, A., Salvini, D., & Vendramin, G. G. (2005). Invited review: comparative organization of chloroplast, mitochondrial and nuclear diversity in plant populations. *Molecular Ecology*, 14(3), 689-701.
212. Pharswan, K., & Mehta, J. P. (2013). Phenological features and life forms in alpine meadows of Kedarnath, Garhwal Himalaya, India. *Researcher*, 5(12), 200-208.
213. Poethke, W., Anand, R. D., & Löscher, K. D. (1968). Chromatographic characterization of the contents of *Cassia tora*-D seeds, *Cassia obtusifolia*-D. *Pharmazie*, 107(8), 571-578.

214. Powell, W., Morgante, M., Andre, C., Hanafey, M., Vogel, J., Tingey, S., & Rafalski, A. (1996). The comparison of RFLP, RAPD, AFLP and SSR (microsatellite) markers for germplasm analysis. *Molecular Breeding*, 2(3), 225-238.
215. Pyke, D. A. (1995). Population diversity with special reference to rangeland plants. *Natural Resources and Environmental Issues*, 4, 21-32.
216. Quraishi, A., Jadhav, S. K., & Gupta, S. (2011). In vitro Clonal Propagation of *Cassia tora* L. (Coffee Pod): A Medicinal Plant. *Biotechnology*, 10(6), 546-550.
217. Rahman, M. O., Rahman, M. Z., & Begum, A. (2013). Numerical taxonomy of the genus *Senna* Mill. from Bangladesh. *Bangladesh Journal of Plant Taxonomy*, 20(1), 77-83.
218. Rai, P. P. (1988). Anthraquinone formation in callus cultures of *Cassia podocarpa*. *Journal of Natural Products*, 51(3), 492-495.
219. Rai, P. P., Turner, T. D., & Greensmith, S. L. (1974). Anthracene derivatives in tissue culture of *Cassia senna* L. *Journal of Pharmacy and Pharmacology*, 26(9), 722-726.
220. Raimondi, F., Santoro, P., Maiuri, L., Londei, M., Annunziata, S., Ciccimarra, F., & Rubino, A. (2002). Reactive nitrogen species modulate the effects of rhein, an active component of senna laxatives, on human epithelium in vitro. *Journal of Pediatric Gastroenterology and Nutrition*, 34(5), 529-534.

221. Rajora, O. P., & Dancik, B. P. (1995). Chloroplast DNA variation in *Populus*. I. Intraspecific restriction fragment diversity within *Populus deltoides*, *P. nigra* and *P. maximowiczii*. *Theoretical and Applied Genetics*, 90(3-4), 317-323.
222. Ramachandran, A., Kumar, M. S., Paneerselvam, K., Vinothkumar, D., & Shajahan, A. (2013). Identification of inter species genetic variability between two morphologically similar species of *Withania* through protein and RAPD markers. *International Journal of Pharmaceutical Sciences and Research*, 4(7), 2817.
223. Ramos, D. M., Diniz, P., & Valls, J. F. (2014). Habitat filtering and interspecific competition influence phenological diversity in an assemblage of *Neotropical savanna* grasses. *Brazilian Journal of Botany*, 37(1), 29-36.
224. Randell, B. R. (1990). Revision of the Cassiinae in Australia. 3. *Senna* Miller Sect. *Senna*. *Journal of the Adelaide Botanic Garden*, 13, 1-16.
225. Randell, B. R. (1995). Taxonomy and evolution of *Senna obtusifolia* and *S. tora*. *Journal of the Adelaide Botanic Gardens*, 16, 55-58.
226. Randell, B. R., & Barlow, B. A. (1998). *Senna*. *Flora of Australia*, 12, 89-138.
227. Rekha, U., Thomas, J., Thomas, V., Tiju, J. M., Prakash, P., & Latha, M. S. (2016). Therapeutic potential of the phytochemicals in *Cassia occidentalis*-a review. *Eur. J. Pharm. Med. Res*, 3(9), 180-188.
228. Resende, K. F. M. D., Davide, L. C., & Torres, G. A. (2013). Chromosome number and meiosis in populations of *Senna* species (Caesalpinoioideae—Fabaceae) from Southeast Brazil. *Caryologia*, 66(1), 1-5.

229. Resende, K., Prado, C., Davide, L., & Torres, G. (2014). Polyploidy and apomixis in accessions of *Senna rugosa* (G. Don) HS Irwin & Barneby. *Turkish Journal of Biology*, 38(4), 510-515.
230. Retzinger, E. J. (1984). Growth and development of sicklepod (*Cassia obtusifolia*) selections. *Weed Science*, 32(5), 608-611.
231. Rice, A., Glick, L., Abadi, S., Einhorn, M., Kopelman, N. M., Salman-Minkov, A., A., Mayzel, J., Chay, O., & Mayrose, I. (2015). The Chromosome Counts Database (CCDB)—a community resource of plant chromosome numbers. *New Phytologist*, 206(1), 19-26.
232. Rizvi, S. A. I., Varshney, S. C., Abbas, S. L., & Jahan, N. (1972). Structure of nodolidate from the flowers of *Cassia nodosa*. *Phytochemistry*, 11(5), 1823-1826.
233. Rod'kina, S. A. (2005). Fatty acids from the sponge *Tedania dirhaphis*. *Chemistry of Natural Compounds*, 41(3), 289-292.
234. Rodrigues, R. S., Corrêa, A. M., Forni-Martins, E., & Tozzi, A. M. G. D. A. (2009). Chromosome numbers in species of *Acosmium Schott* and *Leptolobium Vogel* (Leguminosae, Papilionoideae). *Acta Botanica Brasilica*, 23(3), 902-906.
235. Roepstorff, P. (1997). Mass spectrometry in protein studies from genome to function. *Current Opinion in Biotechnology*, 8(1), 6-13.
236. Sakulpanich, A., & Gritsanapan, W. (2009). Determination of anthraquinone glycoside content in *Cassia fistula* leaf extracts for alternative source of laxative drug. *International Journal of Biomedical and Pharmaceutical Sciences*, 3(1), 42-45.

237. Sanchez, C., Mathy-Hartert, M., Deberg, M. A., Ficheux, H., Reginster, J. Y. L., & Henrotin, Y. E. (2003). Effects of rhein on human articular chondrocytes in alginate beads. *Biochemical Pharmacology*, 65(3), 377-388.
238. Sathyanarayana, N., Leelambika, M., Mahesh, S., & Jaheer, M. (2011). AFLP assessment of genetic diversity among Indian Mucuna accessions. *Physiology and Molecular Biology of Plants*, 17(2), 171-180.
239. Seefelder, S., Ehrmaier, H., Schweizer, G., & Seigner, E. (2000). Genetic diversity and phylogenetic relationships among accessions of hop, *Humulus lupulus*, as determined by amplified fragment length polymorphism fingerprinting compared with pedigree data. *Plant Breeding*, 119(3), 257-263.
240. Seo, Y., Song, J. S., Kim, Y. M., & Jang, Y. P. (2017). Toralactone glycoside in *Cassia obtusifolia* mediates hepatoprotection via an Nrf2-dependent anti-oxidative mechanism. *Food Research International*, 97, 340-346.
241. Shailajan, S., Yeragi, M., & Tiwari, B. (2013). Estimation of Rhein from Cassia fistula Linn. using validated HPTLC method. *International Journal of Green Pharmacy*, 7(1), 62-65.
242. Shak, K. P. Y., & Wu, T. Y. (2014). Coagulation–flocculation treatment of high-strength agro-industrial wastewater using natural *Cassia obtusifolia* seed gum: treatment efficiencies and flocs characterization. *Chemical Engineering Journal*, 256, 293-305.

243. Shak, K. P. Y., & Wu, T. Y. (2015). Optimized use of alum together with unmodified *Cassia obtusifolia* seed gum as a coagulant aid in treatment of palm oil mill effluent under natural pH of wastewater. *Industrial Crops and Products*, 76, 1169-1178.
244. Sheng, X., Wang, M., Lu, M., Xi, B., Sheng, H., & Zang, Y. Q. (2011). Rhein ameliorates fatty liver disease through negative energy balance, hepatic lipogenic regulation, and immunomodulation in diet-induced obese mice. *American Journal of Physiology-Endocrinology and Metabolism*, 300(5), E886-E893.
245. Sheng, X., Zhu, X., Zhang, Y., Cui, G., Peng, L., Lu, X., & Zang, Y. Q. (2012). Rhein protects against obesity and related metabolic disorders through liver X receptor-mediated uncoupling protein 1 upregulation in brown adipose tissue. *International Journal of Biological Sciences*, 8(10), 1375.
246. Sheng-Nan, P., Hui-Hong, Z., Ai-Xiang, F. U., Xiao-Wen, C., & Qing-Xian, Z. (2013). Protection of rhein on IgA nephropathy mediated by inhibition of fibronectin expression in rats. *Indian Journal of Pharmacology*, 45(2), 174.
247. Shi, P., Huang, Z., & Chen, G. (2008). Rhein induces apoptosis and cell cycle arrest in human hepatocellular carcinoma BEL-7402 cells. *The American Journal of Chinese Medicine*, 36(04), 805-813.
248. Shibata, S., Morishita, E., Kaneda, M., Kimura, Y., Takido, M., & Takahashi, S. (1969). Chemical Studies on the Oriental Plant Drugs. XX. The Constituents of *Cassia tora* L. (1). The Structure of Torachrysone. *Chemical and Pharmaceutical Bulletin*, 17(3), 454-457.

249. Sholichin, M., Yamasaki, K., Kasai, R., & Tanaka, O. (1980). C Nuclear Magnetic Resonance of Lupane-Type Triterpenes, Lupeol, Betulin and Betulinic Acid. *Chemical and Pharmaceutical Bulletin*, 28(3), 1006-1008.
250. Shukla, V., Asthana, S., Gupta, P., Dwivedi, P. D., Tripathi, A., & Das, M. (2017). Toxicity of Naturally Occurring Anthraquinones. *Advances in Molecular Toxicology*, 11, 1-50.
251. Sihanat, A., Chareonsap, P. P., Ruangrungsi, N., & Rungsirirunrat, K. (2017). Using AFLP to identify genetic relationships in *Cassia* species from Thailand. *Pak. J. Bot*, 49(4), 1339-1344.
252. Simpson, T. J. (1987). The biosynthesis of polyketides. *Natural Product Reports*, 4, 339-376.
253. Singh, B., Nadkarni, J. R., Vishwakarma, R. A., Bharate, S. B., Nivsarkar, M., & Anandjiwala, S. (2012). The hydroalcoholic extract of *Cassia alata* (Linn.) leaves and its major compound rhein exhibits antiallergic activity via mast cell stabilization and lipoxygenase inhibition. *Journal of Ethnopharmacology*, 141(1), 469-473.
254. Singh, V. (1978). Critical taxonomic notes on some species of *Cassia*. *J. Bombay Nat. Hist Soc*, 75, 434-443.
255. Singh, V. (2001). *Monograph on Indian Subtribe Cassiinae (Caesalpiniaceae)*. Scientific Publishers, New Delhi.

256. Smolarz, H. D., Swatko-Ossor, M., Ginalska, G., & Medyńska, E. (2013). Antimycobacterial effect of extract and its components from *Rheum rhabonticum*. *Journal of AOAC International*, 96(1), 155-160.
257. Sob, S. V. T., Wabo, H. K., Tane, P., Ngadjui, B. T., & Ma, D. (2008). A xanthone and a polyketide derivative from the leaves of *Cassia obtusifolia* (Leguminosae). *Tetrahedron*, 64(34), 7999-8002.
258. Sob, S. V. T., Wabo, H. K., Tchinda, A. T., Tane, P., Ngadjui, B. T., & Ye, Y. (2010). Anthraquinones, sterols, triterpenoids and xanthones from *Cassia obtusifolia*. *Biochemical Systematics and Ecology*, 38(3), 342-345.
259. Soladoye, M. O., Onakoya, M. A., Chukwuma, E. C., & Sonibare, M. A. (2010a). Morphometric study of the genus *Senna* Mill. in South-western Nigeria. *African Journal of Plant Science*, 4(3), 044-052.
260. Soladoye, M. O., Sonibare, M. A., & Chukwuma, E. C. (2010b). Morphometric study of the genus *Indigofera* Linn. (Leguminosae-Papilionoideae) in south-western Nigeria. *International Journal of Botany*, 6(3), 343-350.
261. Sonibare, A., Jayeola, A., & Egunyomi, A. (2004). A morphometric analysis of the genus *Ficus* Linn. (Moraceae). *African Journal of Biotechnology*, 3(4), 229-235.
262. Souza, M. G. C., & Benko-Iseppon, A. M. (2004). Cytogenetics and chromosome banding patterns in Caesalpinoideae and Papilionoideae species of Pará, Amazonas, Brazil. *Botanical Journal of the Linnean Society*, 144(2), 181-191.

263. Stebbins, G. L. (1971). *Chromosomal Evolution in Higher Plants*. Addison-Wesley, London.
264. Su, J., Yin, L. P., Zhang, X., Li, B. B., Liu, L., & Li, H. (2013). Chronic Allograft Nephropathy in Rats Is Improved by the Intervention of Rhein. *Transplantation Proceedings*, 6(45), 2546-2552.
265. Subramonian, W., Wu, T. Y., & Chai, S. P. (2014). A comprehensive study on coagulant performance and floc characterization of natural *Cassia obtusifolia* seed gum in treatment of raw pulp and paper mill effluent. *Industrial Crops and Products*, 61, 317-324.
266. Sudi, I. Y., Ksgbiya, D. M., Muluh, E. K., & Clement, A. (2011). Nutritional and phytochemical screening of *Senna obtusifolia* indigenous to Mubi, Nigeria. *Advances in Applied Science Research*, 2(3), 432-437.
267. Sung, B. K., Kim, M. K., Lee, W. H., Lee, D. H., & Lee, H. S. (2004). Growth responses of *Cassia obtusifolia* toward human intestinal bacteria. *Fitoterapia*, 75(5), 505-509.
268. Suzuki, H., & Matsumoto, T. (1988). Anthraquinone: production by plant cell culture. *Medicinal and Aromatic Plants*, I, 237-250.
269. Takahashi, T. (1973). Numerical simulation of maritime warm cumulus. *Journal of Geophysical Research*, 78(27), 6233-6247.
270. Takido, M. (1958). Studies on the Constituents of the Seeds of *Cassia obtusifolia* LI The Structure of Obtusifolin. *Chemical and Pharmaceutical Bulletin*, 6(4), 397-400.

271. Takido, M. (1960). Studies on the constituents of the seeds of *Cassia obtusifolia* L. II. The structure of obtusin, chryso-obtusin, and aurantio-obtusin. *Chemical and Pharmaceutical Bulletin*, 8(3), 246-251.
272. Takuathung, C. N., Pipatwattanakul, D., & Bhumibhamon, S. (2012). Provenance variation in seed morphometric traits and growth performance of *Senna siamea* (Lam.) Erwin et Barneby at Lad Krating plantation, Chachoengsao Province, Thailand. *Kasetsart J Nat Sci*, 46(3), 394-407.
273. Talpada, P. M., Pande, M. B., Shukla, P. C., Patel, B. M., & Purohit, L. P. (1980). Nutritive value of boiled *Cassia tora* seeds. *Indian Veterinary Journal*, 57(12), 1022-1024.
274. Tanahashi, T., Takenaka, Y., Ikuta, Y., Tani, K., Nagakura, N., & Hamada, N. (1999). Xanthones from the cultured lichen mycobionts of *Pyrenula japonica* and *Pyrenula pseudobufonia*. *Phytochemistry*, 52(3), 401-405.
275. Tandon, S. L., & Bhatt, R. N. (1971). Cytological evaluation in the genus *Cassia*. *J. Indian Bot. Soc. ASO*, 430-436.
276. Tang, J. C., Yang, H., Song, X. Y., Song, X. H., Yan, S. L., Shao, J. Q., Zhang, T. L., & Zhang, J. N. (2009). Inhibition of cytochrome P450 enzymes by rhein in rat liver microsomes. *Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives*, 23(2), 159-164.
277. Tang, L. Y., Wang, Z. J., Fu, M. H., He, Y., Wu, H. W., & Huang, L. Q. (2008). A new anthraquinone glycoside from seeds of *Cassia obtusifolia*. *Chinese Chemical Letters*, 19(9), 1083-1085.

278. Tao, J., Ai, Y. W., Luo, Y. Q., Yang, L., Yan, W., & Chen, M. (2009). AFLP analysis of genetic variation of *Hyphantria cunea* (Drury) populations in Beijing and a nearby site. *Forestry Studies in China*, 11(1), 14-19.
279. Teem, D. H., Hoveland, C. S., & Buchanan, G. A. (1980). Sicklepod (*Cassia obtusifolia*) and coffee senna (*Cassia occidentalis*): geographic distribution, germination, and emergence. *Weed Science*, 28(1), 68-71.
280. Tona, L., Cimanga, R. K., Mesia, K., Musuamba, C. T., De Bruyne, T., Apers, S., Hernans, N., Van Miert, S., Pieters, L., Totté, J., & Vlietinck, A. J. (2004). In vitro antiplasmodial activity of extracts and fractions from seven medicinal plants used in the Democratic Republic of Congo. *Journal of Ethnopharmacology*, 93(1), 27-32.
281. Toruan-Purba, A. V. (1999). *Senna* Miller. *Plant Resources of South-East Asia*, 12(1), 181-185.
282. Tripathi, V. (2011). Generic relationship among *Cassia* L., *Senna* Mill. and *Chamaecrista* Moench using RAPD markers. *International Journal of Biodiversity and Conservation*, 3(3), 92-100.
283. Tripathi, V., Kumar, A., & Pushpangadan, P. (2009). Genetic differentiation of *Senna tora* (L.) Roxb. and *Senna obtusifolia* (L.) Irwin Barneby by using RAPD markers. *African Journal of Plant Science*, 3(8), 168-173.
284. Tucker, S. C. (1996). Trends in evolution of floral ontogeny in *Cassia* sensu stricto, *Senna*, and *Chamaecrista* (Leguminosae: Caesalpinoideae: Cassieae: Cassiinae); a study in convergence. *American Journal of Botany*, 83(6), 687-711.

285. Tucker, S. C. (2003). Floral development in legumes. *Plant Physiology*, 131(3), 911-926.
286. Upadhyaya, S. K., & Singh, V. (1986). Phytochemical evaluation of *Cassia obtusifolia* L. and *Cassia tora* L. *Proceedings: Plant Sciences*, 96(4), 321-326.
287. Upasani, S. V., Beldar, V. G., Tatiya, A. U., Upasani, M. S., Surana, S. J., & Patil, D. S. (2017). Ethnomedicinal plants used for snakebite in India: a brief overview. *Integrative Medicine Research*, 6(2), 114-130.
288. Uppal, R., & Singh, C. (2013). Phenological studies of some important fodder shrubs occurring in Himachal Pradesh. *Indian Journal of Soil Conservation*, 41(2), 185-191.
289. van den Berg, A. J. J., & Labadie, R. P. (1989). Quinones. *Methods in Plant Biochemistry*. Vol. 1, 451-491. Academic Press, Cambridge.
290. Venables, W. N., & Smith, D. M. (2012). R Core Team (2012). *An Introduction to R*. Notes on R: A Programming Environment for Data Analysis and Graphics. Version 2.15.1 (2012-06-22). CRAN. (Available online <http://www.r-project.org>).
291. Visser, M. E., Caro, S. P., Van Oers, K., Schaper, S. V., & Helm, B. (2010). Phenology, seasonal timing and circannual rhythms: Towards a unified framework. *Philosophical Transactions of the Royal Society of B: Biological Sciences*, 365(1555), 3113-3127.
292. Wagner, A. (1996). Does evolutionary plasticity evolve? *Evolution*, 50(3), 1008-1023.

293. Wang, Q., Zhang, N. N., Li, H. Y., Jiang, M., Gao, J., & Bai, G. (2012). Active ingredients in rhubarb with anti-proliferative effects on scar fibroblasts. *Acta Pharmaceutica Sinica*, 47(12), 1618-1622.
294. Watanabe, K., Yahara, T., Denda, T., & Kosuge, K. (1999). Chromosomal evolution in the genus *Brachyscome* (Asteraceae, Astereae): statistical tests regarding correlation between changes in karyotype and habit using phylogenetic information. *Journal of Plant Research*, 112(2), 145-161.
295. Waterhouse, D. F., & Norris, K. R. (1987). *Cassia tora* and *C. obtusifolia*. *Biological control Pacific Prospects*. Inkata Press, Melbourne, 288-295.
296. Weising, K., Atkinson, R. G., & Gardner, R. C. (1995). Genomic fingerprinting by microsatellite-primed PCR: a critical evaluation. *Genome Research*, 4(5), 249-255.
297. Weiss-Schneeweiss, H., Tremetsberger, K., Schneeweiss, G. M., Parker, J. S., & Stuessy, T. F. (2008). Karyotype diversification and evolution in diploid and polyploid South American Hypochaeris (Asteraceae) inferred from rDNA localization and genetic fingerprint data. *Annals of Botany*, 101(7), 909-918.
298. Wijesekara, I., Zhang, C., Van Ta, Q., Vo, T. S., Li, Y. X., & Kim, S. K. (2014). Phycion from marine-derived fungus Microsporum sp. induces apoptosis in human cervical carcinoma HeLa cells. *Microbiological Research*, 169(4), 255-261
299. Wijnsma, R., & Verpoorte, R. (1986). Anthraquinones in the Rubiaceae. In *Fortschritte der Chemie organischer Naturstoffe/Progress in the Chemistry of Organic Natural Products* (pp. 79-149). Springer, Vienna.

300. Williams, J. G., Hanafey, M. K., Rafalski, J. A., & Tingey, S. V. (1993). Genetic analysis using random amplified polymorphic DNA markers. *Methods in Enzymology*, 218, 704-740.
301. Williams, J. G., Kubelik, A. R., Livak, K. J., Rafalski, J. A., & Tingey, S. V. (1990). DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research*, 18(22), 6531-6535.
302. Wolkovich, E. M., Cook, B. I., McLauchlan, K. K., & Davies, T. J. (2014). Temporal ecology in the Anthropocene. *Ecology Letters*, 17(11), 1365-1379.
303. Wu, X. H., Cai, J. J., Ruan, J. L., Lou, J. S., Duan, H. Q., Zhang, J., Cheng, C. R., Guo, D. A., Wu, Z. Y., & Zhang, Y. W. (2011). Acetylated anthraquinone glycosides from *Cassia obtusifolia*. *Journal of Asian Natural Products Research*, 13(06), 486-491.
304. Wynn, T. A. (2007). Common and unique mechanisms regulate fibrosis in various fibroproliferative diseases. *The Journal of clinical investigation*, 117(3), 524-529.
305. Xu, L., Chan, C. O., Lau, C. C., Yu, Z., Mok, D. K., & Chen, S. (2012). Simultaneous determination of eight anthraquinones in Semen Cassiae by HPLC-DAD. *Phytochemical Analysis*, 23(2), 110-116.
306. Yang, C., Wang, S., Guo, X., Sun, J., Liu, L., & Wu, L. (2015). Simultaneous determination of seven anthraquinones in rat plasma by Ultra High Performance Liquid Chromatography-tandem Mass Spectrometry and pharmacokinetic study after oral administration of Semen Cassiae extract. *Journal of Ethnopharmacology*, 169, 305-313.

307. Yates III, J. R. (1998). Mass spectrometry and the age of the proteome. *Journal of Mass Spectrometry*, 33(1), 1-19.
308. Ye, M., Han, J., Chen, H., Zheng, J., & Guo, D. (2007). Analysis of phenolic compounds in rhubarbs using liquid chromatography coupled with electrospray ionization mass spectrometry. *Journal of the American Society for Mass Spectrometry*, 18(1), 82-91.
309. Yen, G. C., Chen, H. W., & Duh, P. D. (1998). Extraction and identification of an antioxidative component from Jue Ming Zi (*Cassia tora* L.). *Journal of Agricultural and Food Chemistry*, 46(3), 820-824.
310. Yi, J. H., Park, H. J., Lee, S., Jung, J. W., Kim, B. C., Lee, Y. C., Ryu, J. H., & Kim, D. H. (2016). *Cassia obtusifolia* seed ameliorates amyloid β -induced synaptic dysfunction through anti-inflammatory and Akt/GSK-3 β pathways. *Journal of Ethnopharmacology*, 178, 50-57.
311. You, X., Feng, S., Luo, S., Cong, D., Yu, Z., Yang, Z., & Zhang, J. (2013). Studies on a rhein-producing endophytic fungus isolated from *Rheum palmatum* L. *Fitoterapia*, 85, 161-168.
312. Yousaf, Z., Shinwari, Z. K., & Khan, M. A. (2010). Phenetic analysis of medicinally important species of the genus *Solanum* from Pakistan. *Pakistan Journal of Botany*, 42(3), 1827-1833.
313. Yu, D. Q., Gao, Y., & Liu, X. H. (2010). Effects of Rhein on the hypertrophy of renal proximal tubular epithelial cells induced by high glucose and angiotensin II in rats. *Zhong yao cai= Zhongyaocai= Journal of Chinese Medicinal Materials*, 33(4), 570-574.

314. Yu, L., Xiang, H., Fan, J., Wang, D., Yang, F., Guo, N., Qi, J., & Deng, X. (2008). Global transcriptional response of *Staphylococcus aureus* to rhein, a natural plant product. *Journal of Biotechnology*, 135(3), 304-308.
315. Yun-Choi, H. S., Kim, J. H., & Takido, M. (1990). Potential inhibitors of platelet aggregation from plant sources, V. Anthraquinones from seeds of *Cassia obtusifolia* and related compounds. *Journal of Natural Products*, 53(3), 630-633.
316. Zabeau, M. (1993). Selective restriction fragment amplification: a general method for DNA fingerprinting. *European Patent No. 92402629.7*. Retrieved from <https://patentimages.storage.googleapis.com/a6/1f/d0/ae2bf86b3fdff/EP0534858B2.pdf>
317. Zaprometov, M. N. (1989). The formation of phenolic compounds in plant cell and tissue cultures and the possibility of its regulation. *Advances in Cell Culture*, 7, 201-260.
318. Zarco, C. R. (1986). A new method for estimating karyotype asymmetry. *Taxon*, 35(3), 526-530.
319. Zhang, C., Li, G. L., Xiao, Y. Q., Li, L., & Pang, Z. (2009). Two new glycosides from the seeds of *Cassia obtusifolia*. *Chinese Chemical Letters*, 20(9), 1097-1099.
320. Zhang, W. D., Wang, Y., Wang, Q., Yang, W. J., Gu, Y., Wang, R., Song, X. M., & Wang, X. J. (2012). Quality evaluation of Semen Cassiae (*Cassia obtusifolia* L.) by using ultra-high performance liquid chromatography coupled with mass spectrometry. *Journal of Separation Science*, 35(16), 2054-2062.

321. Zhao, Y. L., Zhou, G. D., Yang, H. B., Wang, J. B., Shan, L. M., Li, R. S., & Xiao, X. H. (2011). Rhein protects against acetaminophen-induced hepatic and renal toxicity. *Food and Chemical Toxicology*, 49(8), 1705-1710.
322. Zhou, X., Song, B., Jin, L., Hu, D., Diao, C., Xu, G., Zou, Z., & Yang, S. (2006). Isolation and inhibitory activity against ERK phosphorylation of hydroxyanthraquinones from rhubarb. *Bioorganic & Medicinal Chemistry Letters*, 16(3), 563-568.
323. Zhou, Y. X., Xia, W., Yue, W., Peng, C., Rahman, K. and Zhang, H. (2015). Rhein: A Review of Pharmacological Activities. *Evidence-Based Complementary and Alternative Medicine*, 1-10. Article ID 578107. DOI: <http://dx.doi.org/10.1155/2015/578107>.
324. Zhu, J., Liu, Z., Huang, H., Chen, Z., & Li, L. (2003). Rhein inhibits transforming growth factor beta1 induced plasminogen activator inhibitor-1 in endothelial cells. *Chinese Medical Journal*, 116(3), 354-359.
325. Zhu, Y. P. (1998). *Chinese Materia Medica: Chemistry, Pharmacology and Applications*. Harwood Academic Publishers, Amsterdam.
326. Zuo, Y., Wang, C., Lin, Y., Guo, J., & Deng, Y. (2008). Simultaneous determination of anthraquinones in radix *Polygoni multiflori* by capillary gas chromatography coupled with flame ionization and mass spectrometric detection. *Journal of Chromatography A*, 1200(1), 43-48.