

Alexander, Bob, 2005. "The first Parlour Aquariums and the Victorian Aquarium Craze". History of parlour aquarium. parlouraquariums.org. Retrieved 24 December 2010.

Al- Hussaini, A. H. 1949. On the functional morphology of the alimentary tract of some fish in relation to differences in their feeding habits: anatomy and histology. Quart. J. Micr. Sci., 90(2): 109-139.

Andersson, M., 1994. Sexual selection. Princeton, N J: Princeton University Press.

AOAC, 1995. Official Methods of Analysis, 16th Edn, Association of Official Analytical Chemist, Washington, D.C., 684 pp.

APHA. (2005). Standard Methods for the Examination of Water and Wastewater. 21st edn. American Public Health Association, Washington, DC.

Aquafish.net, 2014

Arocha, F., 1997. The reproductive dynamics of sword fish *Xiphias gladius* and management implications in the north western Atlantic. Ph.D. dissertation, University of Miami, Florida.

Ayyappan S. and Birdar S.R. 2004. Enhancing Global Competition. Survey of Indian Agriculture (The Hindu): 98.

Ayyappan, S. and Jena, J.K., 2006. Ornamental fish breeding and culture. In: Hand book of fisheries and aquaculture, ICAR, New Delhi, pp 354-377.

Ayyappan, S, Jena, J.K., Gopalakrishnan, A., Pandey, A.K., 2006. Handbook of fisheries and aquaculture. Directorate of Information and Publications of Agriculture, Indian Council of Agricultural Research, New Delhi, pp. 354.

Baensch, HA and Riehl, R. Aquarienatlas., 1991. Bd. 3. Melle: Mergus, VerlagfürNatur-und Heimtierkunde, Germany. 1104.

Bagenal, T.B., 1967. A short review of fish fecundity. In: The Biological Basis of Fresh water Fish Production. S.D. Gerking (ed.) Blackwell Scientific Publications, Oxford; 89-111.

Bagenal, T. B and Braum, E.,1978. Eggs and early life history. In: W. E. Ricker, editor. Methods for assessment of fish production fresh waters. Blackwell Scientific Publications, Oxford and Edinburgh.pp.166-198.

Bagenal, T. B., Tesch, F. W., 1978. Age and growth. In: Bagenal, T. (Ed.), Methods of assesment of fish production in fresh waters. Oxford Blackwell Scientific Publication. 101-136.

Barlow, G.W., Leim, K.F. and Wickler, W. 1968.Badidae, a new fishfamily-behavioural, osteological, and development evidence.*Journal of Zoology* 156: 415-447.

Basumatary, S., Choudhury, H., Baishya, R.A., Sarma, D. and Vishwanath, W. 2016. *Badis pancharatnaensis*, a new percoid fish species from Brahmaputra River drainage, Assam, India (Teleostei: Badidae). *Vertebrate Zoology*, 66 (2), 151-156.

BedFISH. <http://en.bdfish.org/2011/06/fraigouramictenopsnobilismcclelland1845/>. downloaded on 5th February, 2015.

Benjamin, R. P., 2012. A highly profitable hobby, The Hindu, <http://www.thehindu.com/news/cities/Visakhapatnam/a highly-profitable-hobby/article3399986.ece> 9 May, 2012.

Bhattacharjee, P. C. and Dasgupta, M., 1988. Some observations on the biology of *Aspidoparia morar* (Ham.) from river Brahmaputra, Assam (India). Nova Serie.,1(11): pp. 197-203.

Bhattacharya, S, Mahapatra, BK and Maity, J., 2015 Morphological Identification of a Near Threatened Ornamental Fish, *Ctenops nobilis*. Int. J. Scient. Resear; 4(8): 6-8.

Bhuiyan, A. S. and Haque, M. S., 1984. Studies on the seasonal changes of food habit of *Mystus vittatus* (Bloch) (Bagridae : Cypriniformes). Proc. 4th. Nat. Zool. Conf. Bangladesh. pp. 88-91.

Bhuiyan, A. S. and Islam, M. N., 1990. Seasonal variation in the percentage composition of the food of *Xenentodon cancila*. Univ. J. Zool. Rajshahi Univ. 7: pp. 33-34.

Bhuiyan, A. S. and Islam, M. N., 1991. Observation on the food and feeding habit of *Ompok pabda* (Ham.) from the river Padma (Siluridae : Cypriniformes). Pakistan J. Zool. 23(1): pp. 75-77.

Bhuiyan, A. S., Begum, M. and Nessa, Q., 1997. Observation of the food and feeding habit of *Clupisoma atherinoides* (Bloch) (Siluriformes: Schilbidae). Univ. j. zool. Rajshahi Univ., 16: pp. 1-5.

Bhuiyan, A. S., Nessa, Q. and Begum, M., 1998. The food and feeding habit of *Puntius gonionotus* (Bleeker) (Cyprinidae: Cypriniformes). Bangladesh J. Zool., 26 (1): pp. 73-78.

Bhuiyan, A. S., Nessa, Q. and Hossain, M. D., 1999. Seasonal pattern of feeding of grey mullet, *Mugil cephalus* (L.) (Mugiliformes : Mugilidae). Pakistan J. Zool. 31(1): pp. 295-297.

Biswas, S. P. 1993. Manual of Methods in Fish Biology. South Asian Publ. Pvt Ltd., New Delhi, 157 pp.

Bleeker, P. 1854. Nalezingen op de ichthyologische fauna van Bengal en Hindostan. *Verhandeligen van het Bataviaasch Genootschap van Kunsten en Wetenschappen* 25(8): 1-166.

Bowen, S.H., 1988. Detritory and herbivory. In Biolegie et ecologie des poisons d'eau douce africains (Leveque, C., Bruton, M.N. & G.W. Ssentongo ets), p- 243-47. Paris: editions de I ORSTOM.

Britz, R, Kokoscha M and Riehl, R., 1995. The anabantoid genera Ctenops, Luciocephalus, Parasphaerichthys and Sphaerichthys as a monophyletic group: evidence from egg surface structure and reproductive behaviour. JPN J Ichthyol; 42: 71-79.

Britz, R. and M. Kottelat, 2002. *Parasphaerichthyslineatus*, a new species of labyrinth fish from southern Myanmar (Teleostei: Osphronemidae). Ichthyological Exploration of Freshwaters 13(3): 243-250

Britz, R., 1994. Ontogenetic feature of Luciocephalus (Perciformes, Anabantoidei) with a revised hypothesis of anabantoid interrelationship. Zoo. J Linnean Soc., 1994; 112: 491-508. doi:10.1111/j.1096-3642.

Britz, R. Zurphylogenetischen Systematik der Anabantoidei (Teleostei, Percomorpha) unter Berücksichtigung der Stellung des Genus Luciocephalus. Morphologische und ethologische Untersuchungen. (In French language). PhD Thesis, Universität Tübingen, Tübingen, Germany. 1995.

Brunner, Bernd (2003). The Ocean at Home. New York: Princeton Architectural Press. pp. 21–22. ISBN 1-56898-502-9.

Butler, R. A. (1995). Tropical Freshwater Aquarium Fish Retrieved September 19, 2008.

Chanda, M, Paul, M, Maity, J, Dash, G and Sen Gupta, S. (2011). The use of antibiotics and disinfectants in ornamental fish farms of West Bengal, India. *J Nat SciBiol Med.*; 2(2): 139–140.

Chellappa, S.; Camara, M. R.; Chellappa, N. T. and Huntingford F. A., 2003. Reproductive ecology of neotropical cichlid fish, *Cichla monoculus* (Osteichthyes: Cichlidae). *Braz. J. Biol.*, 63(1): pp. 17-26.

Cosgrove, W.J. and Rijsberman, F.R. 2000. World Water Vision: Making Water Everybody's Business. London: Earthscan Publications

Cuvier GL, Valenciennes A. Histoire naturelle des poissons. (In French language) Levrault, Paris. 1831; 7.

Dadzie, S and Wangila, B.C.C., 1980. Reproductive biology, length-weight relationship and relative condition of pond raised *Tilapia zilli* (Gervais). *J. Fish Biol.*, 17: pp. 243-253.

Dahanukar, Kumkar, Katawate and Raghavan (2015)

Das, S. M. and Nath, S., 1965. The comparative anatomy of the alimentary tract and its modifications in relation to the food and feeding habits in some fishes of Jammu Province, India. *Ichthyologica*. 4(1-2): pp. 63-68.

Das, P. and Sinha, M. 1985. Carp seed rearing package and practices for increasing production. Aquaculture Extension Manual. CICFRI, Barrackpore, New Series No. 1, pp. 22.

Dasgupta, M., 2001. Morphological adaptation of the alimentary canal of four *Labeo* species in relation to this feed and feeding habits. Indian J. Fish., 48(3): pp. 255-257.

Datta Munshi, J.S. and Srivastava, M.P. 1988. Natural History of Fishes and Systematics of Freshwater Fishes of India. Narendra Publishing House, Delhi : 403 Pp.

Day, F. 1875. *The Fishes of India; Being a Natural History of the Fishes Known to Inhabit the Seas and Freshwaters of India, Burma and Ceylon.* B. Quaritch, London, 168 pp.

Dewan, S. and Shah, S. N. 1979. Food and feeding habits of *Tilapia nilotica* (L.) (Perciformes : Cichlidae). II. Diel and seasonal patterns of feeding. Bangladesh J. Zool. 7(2): pp. 75-80.

Dey, S.C. 1973. Studies on the Distribution and Taxonomy of the Ichthyofauna of the Hill Streams of Kamrup-Khasi-Garo Regions of Assam with Special Reference to the Functional Morphology of some Rheophilic Fishes. D. Sc. Thesis, university of Calcutta, india: 299 Pp.

Dey, S.C. and Kar, D. 1989. An account of *Hilsa ilisha* (Hamilton) of lake Sone in the Karimganj district of Assam. Bangladesh Journal of Zoology, 17 (1): 69-73.

Dey, S.C. and Kar, D. 1990. Fish yield trend in Sone, a tectonic lake of Assam. Matsya, 15-16: 39-43.

Doha, S., 1974. Investigation into the biology of the goby *Glossogobius giuris* (Ham.-Buch.) (Perciformes:Gobidae). Bangladesh J. Zool. 2(2): pp. 95-106.

Doha, S and Hye, M.A., 1970. Fecundity of the Padma River *Hilsa ilisha* (Ham.). Pak. J. Sci., 22: pp. 176-183.

- Doherty, D. and McCarthy, T.K., 2004. Morphometric and meristic characteristics analyses of two Western Irish populations of Arctic Char, *Salvelinus salpinus* (L.) *Proceedings of the Royal Irish Academy, B* 104: pp. 75-85.
- Encina, L., Granado, C., and Lorencio, C., 1997. Seasonal changes in condition, nutrition, gonad maturation and energy content in barbel (*Barbus solateri*) inhabiting a fluctuating river. *Environmental biology of fishes.*, 50 (1): pp. 75-84.
- Eschmeyer, W. N. and Fricke R. (eds). Catalog of Fishes: Genera, Species, References. (<http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp>). Electronic version accessed 30 November 2015.
- Fishbase. www.fishbase.org. Downloaded on 25th January, 2015
- Forselius, S. Studies of anabantid fishes. Parts I, II, III. *Zoologiska Bidrag Fran Uppsala*, 1957; 32: 593-597.
- Geetakumari, K. and Kadu, K. 2011. *Badis singenensis*, a new fish species (Teleostei: Badidae) from Singen River, Arunachal Pradesh, northeastern India. – *Journal of Threatened Taxa*, 3: 2085 – 2089.
- Geetakumari, K. and Vishwanath, W. 2010. *Badis dibruensis*, a new species (Teleostei: Badidae) from northeastern India. *Journal of Threatened Taxa*, 2 (1), 644-647. <http://dx.doi.org/10.11609/jott.o2156.644-7>
- Ghosh, A., Mahapatra, B.K, Datta, N.C., 2003. Ornamental fish farming- successful small-scale aqua business in India. *Aquaculture Asia*; 8(3): pp. 14-16.
- Ghosh, A., Bhattacharjee, I., Ganguly, M., Mandal, S. and Chandra, G. 2005a. Experiments on efficacy of some aquarium fishes as biocontrol agent of pre-adult mosquito. *Bull. Penel. Kischatan*, 40 (4):144-149.

- Ghosh, A., Mondal, S., Bhattacharjee,I. and Chandra, G., 2005b. Biological control of vector mosquitoes by some common exotic fish predators. *Turk. J. Biol.*, 29:167-171.
- Gratzek, J.B., 1992. *Aquariology. The Science of Fish Health Management*. Morris Plains, NJ, Tetra Press.
- Gupta, S.D., Rath, S.C., Dasgupta, S. and Tripathi, S.D., 1995. A first report on quadruple Spawning of *Catla catla (Ham.)* *Vet. arhiv* 65(5), pp. 143–148.
- Hora, S.L. 1921a. Notes on fishes in the Indian Museum. I. On a new genus of fish closely resembling *Psilorhynchus McClelland*. *Records of the Indian Museum, Calcutta*, 22 (2): 13–17.
- Hora, S.L. 1921b. Notes on fishes in the Indian Museum. I. On a new species of *Nemachilus* from the Nilgiri Hills. *Records of the Indian Museum, Calcutta*, 2 (1): 19–21.
- Hora, S.L. 1930. Ecology, Bionomics and Evolution of torrential fauna with special reference to the organs of attachment. *Philosophical transactions of the Royal Society of London, Series B*, 218: 171–282.
- Hora, S.L. 1937. Geographical distribution of Indian Freshwater Fishes and its bearing on the probable land connections between India and the adjacent countries. *Current Science*, 7: 351–356.
- Hora, S.L. 1942. A list of fishes of Mysore state and neighbouring hill ranges of the Nilgiris, Wynnaad and Coorg. *Records of Indian Museum*, 44: 193–200.
- Hora, S.L. 1951. Knowledge of the Ancient Hindus concerning fish and fisheries of India. 3. Matsyavinoda or a chapter on angling in the manasallosa by King

- Someswara (1127 A.D.). Journal of the Asiatic Society, Letters, 17 (2): 145–169, xviii-xxi plates.
- Hora, S.L. and Law, N.C. 1941. The freshwater fishes of Travancore. Records of the Zoological Survey of India, 43: 233–256.
- Hugueny, B. and Pouilly, M., 1999. Morphological correlates of diet in an assemblage of West African freshwater fishes. *Journal of fish Biology*. 54: pp. 1310-1325.
- Hynes, H. B. N., 1950. The food of freshwater sticklebacks (*Gasterosteus aculeatus* and *Pygosteus pungitius*) with a review of methods used in studies of the food of fishes. *J. Anim. Ecol.*, 19: pp. 26-28.
- IUCN Bangladesh. 2000. Red book of threatened fishes of Bangladesh, IUCN The world conservation union. xii+116 pp.
- IUCN Red List of Threatened species. www.iucnredlist.org. Downloaded on 27th January, 2015
- Izquierdo, M. S., Fernandez-Palacios, H. and Tacon, A.G.J., 2001. Effect of feed type on growth and reproductive performance of fish. *Aquaculture*., 197: pp. 25-42.
- Jakobsen, T., Fogarty, M.J., Megrey, B.A. and Moksness, E., 2009. Fish Reproductive Biology: Implications for Assessment and Management. Wiley- Blackwell, USA., ISBN: 978-1-4051-2126-2.
- Jayaram, K.C. 1974. Ecology and distribution of fresh-water fishes, amphibia and reptiles. In: Mani M.S. (ed.) Ecology and Biogeography in India, Dr W. Junk, B.V. Publ., The Hague: 517–584.
- Jayaram, K.C. 1981. The Freshwater fishes of India, Pakistan, Bangladesh, Burma and Sri Lanka - A Handbook, Calcutta, Zoological Survey of India: xxii + 475 Pp.

Jayaram, K.C. 1999. The freshwater fishes of the Indian Region. Narendra Publishing House, Delhi-6: xxvii+551 Pp, 18 plates.

Jayaram, K. C. 2006. Catfishes of India. Narendra Publishing House, Delhi: xxii + 383 Pp.

Jayaram, K.C. 2010. The Freshwater Fishes of the Indian Region. (2nd edition) Narendra Publishing House, Delhi: 616, 39 plates.

Jayasankar, P., Thomas, P.C., Paulton, M.P. and Mathew, J., (2004) Morphometric and genetic analyzes of Indian mackerel (*Rastrelliger kanagurta*) from peninsular India. Asian Fish. Sci., 17: pp. 201-215.

Jerdon, T.C. 1849. On the freshwater fishes of southern India, Madras. Journal of Literature and Science, 15: 302–345.

Jhingran, V. G., 1968. Synopsis of the biological data on *Catla calla* (Hamilton, 1822). FAO Fish. Syonp. (32)

Jhingran, V. G., 1983. Fish and Fisheries of India (Revised and enlarged 2nd ed). Hindustan Publishing Corporation (India) Delhi. pp. 645

Jhingran, V.G. and H.A. Khan., 1979. Synopsis of Biological data on the mrigal, *Cirrhinus mrigala* (Hamilton 1822). FAO Fisheries Synopsis No. 120. 78p.

Johnson, G.D. and Patterson, C. 1993. Percomorph phylogeny: a survey of acanthomorphs and a new proposal. Bulletin of Marine Science, 52(1): 554–626.

Kar, D. 1984. Limnology and Fisheries of Lake Sone in the Cachar District of Assam (India). PhD Thesis, University of Gauhati, Assam: 201 Pp.

- Kar, D. 1990. Limnology and Fisheries of Lake Sone in the Cachar District of Assam (India). *Matsya*, 15–16: 209–213.
- Kar, D. 2003a. Fishes of Barak drainage, Mizoram and Tripura: 203-211. In: Kumar, A.C. Bohra and L.K. Singh (eds.). Environment, Pollution and Management. APH Publishing Corporation, New delhi: 604 Pp.
- Kar, D. 2003b. An account of the fish biodiversity in South Assam, Mizoram and Tripura along with a brief account of Epizootic Ulcerative Fish Disease Syndrome in freshwater fishes. Proceedings of the UGC-sponsored Invited Lecture in Department of Environmental Engg., Guru Jambeswar University, Hissar, Haryana: 65–72.
- Kar, D. 2005a. Fish Genetic Resources and Habitat Diversity of the Barak drainage, Pp. 68–76. In: Ramachandra T.V., Ahalya N. and Rajsekara C.M. (eds.). Aquatic Ecosystems, Conservation, restoration and Management. Capital Publishing Company, Bangalore: 396 Pp.
- Kar, D. 2005b. Fish fauna of river Barak, of Mizoram and of Tripura with a note on conservation. *Journal of Freshwater Biology*: 16 Pp.
- Kar, D. 2005c. Fish Diversity in the Major Rivers in Southern Assam, Mizoram and Tripura: 679-691. In: Nishida T.; Patricia J.K. and Cchuck E.H. (eds.) GIS/Spatial Analyses in Fishery and Aquatic Sciences, Vol.2. Proceedings of the 2nd International Symposium on GIS and Spatial Analyses in Fishery and Aquatic Sciences, 2-6 Sep 2002, University of Sussex, Brighton (UK), Fisheries and Aquatic GIS Research Group, Japan.
- Kar, D. and Dey, S.C. 1986. An account of ichthyospecies of Lake Sone in Barak valley of Assam. Proceedings of All India Seminar on Ichthyology, 2: 3.

- Kar, D., Laskar, B.A., Mandal, M., Lalsiamliana and Nath, D. 2002. Fish genetic diversity and Habitat parameters in Barak drainage, Mizoram and Tripura. Indian Journal of Environment and Ecoplanning, 6(3): 473–480.
- Kar, D., Roy, A. and Dey, S.C. 2004. An overview of fish genetic diversity of northeastern India. In: Garg S.K. and Jain K.L. (eds.). Proceedings of National Workshop on Rational use of Water Resources for Aquaculture, CCS Haryana Agricultural University: 164–171. Kareiva P. and Marvier M. (2003)
- Katherine C. Grier (2008) "Pets in America: A History". p. 53. University of North Carolina Press.
- Kessler, S. A guide to the identification, care and breeding of the Gouramis. The Fish Bowl in Irving ton, N.J. published by T.F.H. Publications. 1957.
- Kesteven G. L. 1960. Manual of Field Methods in Fisheries Biology. FAO Man. Fish. Sci., No1. 152 pp.
- Khallafa, E.A. and Authman. M., 1991. A study of some reproduction characters of Bagrus bayad, Forskal, in Bahr Shebeen Canal. *J. Egypt. Ger. Soc. Zool.*, 4: pp. 123-138.
- Khan, H., 1947. Development of fisheries in the Punjab. III. Culture and propagation of indigenous species of fish. Indian Farming. 8(9): pp. 147-153.
- Khan H.A. and Jhingran V.G., 1975. Synopsis of Biological data on Rohu *Labeo rohita* (Ham., 1822). FAO Fisheries Synopsis No III. 100.
- Khynriam, D. and Sen, N. 2011. On a new species *Badis triocellus* (Pisces: Perciformes: Badidae) from north east India. *Records of the Zoological Survey of India*, 111 (4), 65-72.

Kullander, S. O. and R. Britz, 2002. Revision of the family Badidae (Teleostei: Perciformes) with description of a new genus and ten new species.

Lazarus, R.S., 1990. Theory - based stress measurement. Psychological Inquiry pp. 3–13.

Le Cren, E. D.: Length-weight relationship and seasonal cycle in gonadal weight and condition in the perch (*Percafluviatilis*). J Anim Ecol. 20:201-219 (1951).

Liem, K. F., 1965 - Copeia 1965 (2): 206-213: The status of the anabantoid fish genera Ctenops and Trichopsis.

Livengood E.J., Chapman F.A., 2009. The ornamental fish trade: An introduction with perspective for responsible aquarium cooperative extension service, Institute of food and agricultural science, University of Florida Gainesville FL 32611.

Lourie, S.A., Pritchard, J.C., Casey, S.P., Truong, S.K., Hall, H.J and Vincent, A.C.J., 1999. The taxonomy of Vietnam's exploited seahorses (Family Syngnathidae). Biol. J. Lin. Soc., 66: pp. 231-256.

Madhu K, Madhu R, Gopakumar G., 2009. Present scenario of marine ornamental fish trade in India, Captive breeding, culture, and trade and management strategies. Fishing chimes; 28: pp. 10-11.

Mahapatra, B.K., 2016. Biology of *Badis badis* (Ham. 1822) from North Eastern Hill Region. J. Inland Fish. Soc. India, 48(1): 97-101, 2016.

Mahapatra, 2017

Mahapatra, 2018

Mahapatra, B.K., Vinod, K. and Mandal, B.K. 2004a. Fish Biodiversity of North Eastern India with a Note on Their Sustainable Utilisation. *Environmental & Ecology*. 22 (Spl-1): 56-63.

Mahapatra, B.K., Vinod, K. and Mandal, B.K. 2004b. Ornamental fish of North Eastern India – Its distribution and conservation status. *Environment & Ecology*, 22(3): 674-683.

Mahapatra, B.K., Vinod, K. and Mandal, B.K. 2005. Export potentiality of native ornamental fish from North Eastern Hill States of India with a note for development of such fisheries. *Environment & Ecology*, 23(4): 780-786.

Mahapatra, B.K., Sarkar, U.K., Lakra, W.S. 2014. A Review on Status, Potentials, Threats and Challenges of the Fish Biodiversity of West Bengal. *J BiodiversBiopros Dev.*; 2: 140. doi:10.4172/2376-0214.1000140.

Mandal, S., Mahapatra, B.K., Tripathi, A. K., Verma, M. R., Datta, K.K. and Ngachan, S.V. 2007. Agribusiness Opportunities of Ornamental Fisheries in North-Eastern Region of India. *Agriculture Economics Research Review*. 20 (Conference Issue): 471-488.

McClelland, J. 1844. Description of four species of fishes from the rivers at the foot of the Boutan Mountains. *Cal J Natural Hist.*; 5(18): 274-282. [Issue for July 1844, possibly published in 1844.]

Menon, A. G. K. 1999. Check list - fresh water fishes of India. *Rec. Zool. Surv. India, Mis. Publ., Occas. Pap.* ; 175: 366

Mishra, K.S. 1959. An aid to the identification of commercial fishes of India and Pakistan. *Records of Indian Museum*, 57 (1-4): 1–320.

Mittermeier, R.A. and Mittermeier, C.G. 1997. Megadiversity: Earth's Biologically Wealthiest Nation. In: McAllister D.E., Hamilton A.L. and Harvery B. (Eds.). Global Freshwater biodiversity. Sea Wind, Cemex, Mexico City, 11: 1–140.

Moffet, J. W. and Hunt, B. P., 1943. Winter breeding habits of blue gills, *Lepomis machrochirus* (Refinesque), yellow perch, *Perca flavescens* (Mirchill) in cedar like westenow country, Michigan. Trans. Amer. Fish. Soc. 73: pp. 232-22.

Mohanta, K.N., Subramanian, S., Komarpant, N and Nirmale A.V., 2008. Breeding of Goldfish. Technical Bulletin No:16, ICAR Research Complex, Goa (Indian Council of Agricultural Research), Ela, Old Goa. 403402, Goa, India.

Moyle, P and Cech, J., 2004. Fishes: An Introduction to Ichthyology - fifth edition. Upper Saddle River, NJ: Prentice-Hall, Inc.

Moyle, P.B. and Cech, Jr. J.J., 1988. Fishes: An introduction to ichthyology. – Princeton Hall, Englewood Cliffs, New York. 2nd edition. 559 pp.

Natarajan, A.V and Jhingran, A.G., 1963. On the biology of *Catla catla* (Hma.) from the river Yamuna. Proc. Nat. Inst. Sci. India 29(B) (3) : pp. 326- 355.

Nath, P. and Dey, S.C. 1997. Fish and fisheries of North East India. Vol. I. Arunachal Pradesh: 201 Pp.

Nath, P. and Dey, S.C. 2000. Fish and fisheries of North Eastern India (Arunachal Pradesh), Narendra Publishing House, Delhi: 217 Pp.

Nath, P. and Dey, S. C. 2000. Fish and Fisheries of North-East India (Arunachal Pradesh). Narendra publishing house, Delhi.

Nelson, JS. (1994). Fishes of the world. Third edition. John Wiley & Sons, Inc., New York. 1994; 600 p.

Nelson, J.S. 2006. Fishes of the World (4th edition). John Wiley and Sons, Inc. New York: 601 Pp.

Ng, H. H., 2005 - Zootaxa 1044: 35-47. Two new species of *Pseudolaguvia* (Teleostei: Erethistidae) from Bangladesh.

Nikolsky, G. V., 1963. The Ecology of Fishes. Academic press Inc. London and NewYork. Pp. 17-19.

Piet, G. J., 1998. Ecomorpholgy of a six structured tropical freshwater fish community. Environmental Biology of Fishes. 51: pp. 67-87.

Quasim, S. Z. and Qayyum, A., 1961. Spawning frequencies and breeding seasons of some freshwater fishes with special reference to those occurring in the plains of northern India. Indian J. Fish., 8: pp. 24-43.

Rahman, A. K. A. 1989. Freshwater Fishes of Bangladesh, 1st edition, Zoological Society of Bangladesh, Department of Zoology, University of Dhaka, Dhaka 1000, pp. 282-283.

Rahman, A. K. A. 2005. Freshwater Fishes of Bangladesh, 2nd edition, Zoological Society of Bangladesh, Department of Zoology, University of Dhaka, Dhaka 1000, pp. 307-308.

Raja, K., Aanand, P., Padmavathy, S. and Sampathkumar, J. S., 2019. Present and future market trends of Indian ornamental fish sector International. Journal of Fisheries and Aquatic Studies. 7(2): 06-15.

Revenga, C., Murray, S., Abramovitz, J. and Hammond, A. 1998. Watersheds of the World: Ecological Value and Vulnerability. World Resources Institute and World Watch Institute, Washington, DC.

Roszman, K. H., 2008. *Ctenopsonobilis*-where is the problem? Der Makropode 30(1): 4-6.

Ruber, L., Britz, R., Kullander, S. and Zardoya, R. (2004) Evolutionary and biogeographic patterns of the Badidae (Teleostei: Perciformes) inferred from mitochondrial and nuclear DNA sequence data. *Molecular Phylogenetics and Evolution*, 32 (2004), 1010-1022.

Rüber, L, Britz, R.and Zardoya, R.2006. Molecular phylogenetics and evolutionary diversification of labyrinth fishes (Perciformes: Anabantoidei).Systematic Biology 55(3): 374-397.

Salas-Ortega A. A., Cortes, G. and Reyes-Bustamante, H., 2009. Fecundity, growth, and survival of the angel fish, *Pterophyllum scalare* (Perciformes: Cichlidae) under laboratory conditions. Rev Biol Trop., 57: 741-747.

Sahoo, U., Bhattacharya, S. and Mahapatra, B. K. 2016. Biological informatics on freshwater ornamental fish *Colisa lalia* (Hamilton, 1822). International Conference on Aquatic Resources & Sustainable Management. 17-19 February, 2016. pp. 235.

Sen, N. 1982. Studies on the Systematics, Distribution and Ecology of the Ichthyofauna of Meghalaya and their bearing on the Fish and Fisheries of the State. PhD Thesis, University of Gauhati, Assam: 576 Pp.

Sen, N. 1985. The Fish Fauna of Assam and the Neighbouring Northeastern States of India. Records of Zoological Survey of India, Occasional Paper, 64: 10216.

- Shafi, M. and Quddus, M.M.A., 2001. BangladesherMatshoShampad (Fisheries of Bangladesh) (in Bengali), Kabir publication. Dhaka, Bangladesh. pp. 301-302.
- Shepherd, CJ and Bromage, NR. Intensive fish farming. B S P Professional Book, Oxford, London. 1988; 404p.
- Shaw, G.E. and Shebbeare, E.O. 1937. The fishes of northern Bengal. *Journal of the Royal Asiatic Society of Bengal, Science*, 3 (1), 1-137.
- Shinkafi, B.A., Ipinjolu, J.K. and Hassan, W.A., 2011. Gonad maturation stages of *Auchenoglanis occidentalis* (Valenciennes 1840) in River Rima, north-western Nigeria. *Journal of Fisheries and Aquatic Science*, 6(3), p.236.
- Springer, V.G. and Johnson, G.D. 2004. Study of the dorsal gill-arch musculature of teleostome fishes, with special reference to the Actinopterygii. *Bulletin of Biological Society of Washington*, 11: 260, 205 plates. (with Appendix by Springer V.G. and Orrell T.M.).
- Sykes, W.H. 1839. An account of the fishes of the Dukhen. In: Proceedings of learned societies. Zoological Society. Annals and Magazine of Natural History, 9 (n.s.) 4 (no. 21): 54–62. Also in: *Transactions of the Zoological Society of London*, 2: 349–378, 8 plates and as a separate, London, 1841.
- Talwar, P.K. and Jhingran A.G., 1991. Inland Fishes of India and Adjacent Countries, Oxford & IBH Publishing Co. Pvt. Ltd. New Delhi, Calcutta, Vol. 2; pp. 1001-1002.
- Thinkquest (2001). Beauty in glass: History Retrieved September 19, 2008.

Valdesalici, S. and Van Der Voort, S. 2015a. Four new species of the Indo-Burmese genus *Badis* from West Bengal, India (Actinopterygii:Perciformes: Badidae). – Zootaxa, **3985**: 391 – 408.

Valdesalici, S. and Van Der Voort, S. 2015b. *Badis laspiophilus*, a new miniature addition to the ichthyofauna of West Bengal, north-eastern India, with observations on its ecology and preliminary notes on its ethology (Actinopterygii: Perciformes: Badidae). – Zootaxa, **3986**: 193 – 200.

Venkataramanujan and Ramanathan, 1996

Vierke, J. Betta, goura labyrinth fishes of the world. TFH Public mis and other anabantid ation, New Jer- sey. 1988.

Vishwanath, W. and Shanta, K. 2004. A new fish species of the Indo-Burmese genus *Badis* Bleeker (Teleostei: Perciformes) from Manipur, India. *Zoos' Print Journal* 19(9):1619-1621.

Wakiyama, A., Hiroshi K. and Yasuhiko, T., 1997. Genetic relationships of anabantoid fishes, J. Tokyo. univ. fish. 83 (1-2): 93-102.

Wikipedia. <https://en.wikipedia.org/wiki/Perciformes> download on dated 5th September, 2015

www.currentresults.com downloaded on 15th March, 2019

www.fishbase.org downloaded on dated 5th September, 2015.

www.ratemyfishtank.com › Articles › General Aquarium Articles

www.vikaspedia.in/agriculture/fisheries downloaded on 24 March, 2019

Ziauddin G., Dutta C. and Goswami A., 2007. Ornamental fish trade and marketing in India. Fishing Chimes, Vol. 27 No. 9: pp. 44-46.

Zipcodezoo. zipcodezoo.com/key/animalia/Osphronemidae_Family.asp. downloaded on 7th February, 2015.