LIST OF FIGURES

| Figure | Description | Page |
|--------|--|------|
| 2.1 | Shrimp culture production statistics in India | 10 |
| 3.1 | Location map of the study area | 32 |
| 3.2 | General information of the study area | 35 |
| 3.3 | Shrimp culture production statistics in Purba Medinipur district | 38 |
| 3.4 | Percentage of the shrimp farm size distribution in the study area | 39 |
| 4.1 | (A) Single tile of the downloaded Google Earth image, (B) Google Earth Images of the study area in the of 2016 | 42 |
| 4.2 | Ground Control Point (GCP) locations on the study area | 44 |
| 4.3 | Flow chart of the methods followed | 57 |
| 4.4 | Instruments used in this study | 58 |
| 4.5 | Data collection | 59 |
| 4.6 | Data collection | 60 |
| 5.1 | Flow chart for Land use and Land cover change detection and prediction | 67 |
| 5.2 | Methodology for change detection matrix | 68 |
| 5.3 | Land use and Land cover map of 2008, 2012 and 2016 | 72 |
| 5.4 | Land use and Land cover map of Contai-I & Desopran block for year 2008, 2012 and 2016 | 73 |
| 5.5 | Land use and Land cover map of Contai-III block for year 2008, 2012 and 2016 | 74 |
| 5.6 | Land use and Land cover map of Ramnagar-I & Ramnagar-II block for year 2008, 2012 and 2016 | 75 |
| 5.7 | Google Earth view of Land use and Land cover change in Hajrakola mouza of Desopran block | 78 |
| 5.8 | Land use and Land cover change map for the period of 2008 to 2012 | 81 |

| 5.9 | Land use and Land cover change map for the period of 2012 to 2016 | 81 |
|------|---|-----|
| 5.10 | Map showing the increase in brackish water tanks/ponds in all five coastal blocks | 83 |
| 5.11 | Spatial variation in shrimp culture area obtained for different Gram Panchayats | 84 |
| 5.12 | Plot wise expansion of shrimp farms for three different years (2008, 2012, 2016) | 87 |
| 5.13 | LR plot wise Land use and Land cover change map for the period 2008 to 2016 of Purba Amtolia Mouza (JL No.447) | 89 |
| 5.14 | Comparison between Land use and Land cover projected of 2016 from the transition matrix between 2008 and 2012 and observed Land use and Land cover value of 2016. | 90 |
| 5.15 | Comparison between observed Land use and Land cover (2016) and predicted Land use and Land cover (2030) | 92 |
| 6.1 | Soil and water sampling locations in the study area | 99 |
| 6.2 | Bar graph representing temporal variation of block wise total waterbodies for the period of 2008 to 2016 | 104 |
| 6.3 | Pie diagram representing temporal variation of block wise distribution of different classes of waterbodies | 105 |
| 6.4 | Soil pH and salinity (EC) of the nearby agricultural land with respect to the distance from shrimp pond for the year 2012 & 2016 | 106 |
| 6.5 | The images show affects of shrimp culture in the nearby paddy field | 108 |
| 6.6 | Map representing change in Land use with respect to conversion of agricultural land to brackish water tanks/ponds for the period of 2008 to 2016 and also showing the affected agricultural lands because of increase in soil salinity | 108 |
| 6.7 | Affects of shrimp farming on vegetation cover | 111 |
| 6.8 | Affected areas showing the loss of vegetation cover as a result of shrimp farming | 112 |
| 6.9 | Spatial distributions of diesel engines in the shrimp farming villages on the basis of farming intensity and farming area | 113 |
| 6.10 | Affected parts of embankment as a result of shrimp farming | 114 |

| 6.11 | Shrimp farming in river beds and associated change and modification of embankment | 115 |
|------|--|-----|
| 6.12 | Bargraph showing block wise variation in agricultural land for the study year 2008, 2012 and 2016 | 121 |
| 6.13 | Affects of shrimp farming on paddy fields | 122 |
| 6.14 | Affected paddy field adjoining shrimp ponds due to increase of soil salinity | 123 |
| 6.15 | A) Shrimp farming affected agricultural land B) Releasing polluted water of shrimp pond directly to the nearby canal without any treatment of wastewater C) Use of Diesel Engine to run the paddle wheels of shrimp ponds D) Destroying embankments to set up the Diesel Engine E) Solid waste material of shrimp farming polluting the environment. | 126 |
| 7.1 | Methodology describing site suitability assessment of shrimp culture | 135 |
| 7.2 | AHP model for site suitability of shrimp culture | 138 |
| 7.3 | Thematic layer of available water | 141 |
| 7.4 | Thematic layer of soil pH | 141 |
| 7.5 | Thematic layer of agricultural land from available water | 142 |
| 7.6 | Thematic layer of distance to road | 142 |
| 7.7 | Thematic layer of distance to local market | 143 |
| 7.8 | Thematic layer of distance to processing unit | 143 |
| 7.9 | Thematic layer of distance to forest | 144 |
| 7.10 | Thematic layer of coastal regulation zone | 144 |
| 7.11 | Thematic layer of forest | 145 |
| 7.12 | Thematic layer of settlement | 145 |
| 7.13 | Areal distribution of each factor for potential site selection | 147 |
| 7.14 | Potential sites for shrimp culture in the study area | 148 |
| 7.15 | Bar graph showing block wise potential shrimp culture area | 149 |