

**M.Sc. 1st Semester Examination, 2024**

**PHYSICS**

*( Methods of Mathematical Physics )*

PAPER – PHS-101

*Full Marks : 25*

*Time : 1 hour*

**Answer all questions**

*The figures in the right hand margin indicate marks*

*Candidates are required to give their answers in their own words as far as practicable*

**GROUP – A**

**Answer any two questions :**  $2 \times 2$

**1. Define Schwarz and Bessel inequality.**

*( Turn Over )*

( 2 )

- Evaluate (i)  $\varepsilon_{ijk} \varepsilon^{ijk}$  (ii)  $\delta_{ij} \varepsilon_{ijk}$
- Find the singularities of the function

$$f(z) = \frac{1}{z} \ln(1-z)$$

- How many independent components does a 2nd rank anti-symmetric tensor have in 3D ?

### GROUP – B

Answer any two questions : 4 × 2

- Evaluate  $\int_{-\infty}^{+\infty} \frac{1}{t^2 - R^2} \cos\left(\frac{\pi t}{2R}\right) dt$  (use Residue theorem).
- Find the Laurent series expansion of

$$f(z) = \frac{1}{(z-1)(z-2)}$$

in the region  $1 \leq |z| \leq 2$  and around  $z = 1$ .

7. If  $A = \begin{pmatrix} 0 & 0 & 0 & \pi/4 \\ 0 & 0 & -\pi/4 & 0 \\ 0 & \pi/4 & 0 & 0 \\ -\pi/4 & 0 & 0 & 0 \end{pmatrix}$

Find  $Tr(e^A)$ .

8. Prove that  $A^\alpha B_\alpha$  is a scalar.

### GROUP – C

Answer any one question : 8 × 1

9. If  $\{u_1, u_2, u_3\} = \{1, x, x^2\}$ .

Find three Hermite polynomials using gram-Schmidt orthogonalization in the interval  $[-\infty, +\infty]$ . Given

$$\int_{-\infty}^{+\infty} e^{-x^2} H_n(x) H_m(x) dx = 2^n \sqrt{\pi} n! \delta_{mn}$$

( 4 )

10. Find the metric tensor and compute various components of the Christoffel symbols if

$$ds^2 = dr^2 \left(1 - \frac{r^2}{R^2}\right)^{-1} + r^2(d\theta^2 + \sin^2 \theta d\phi^2).$$

[ Internal Assessment – 5 Marks ]

---